

# Chronobiology International

The Journal of Biological and Medical Rhythm Research

ISSN: (Print) (Online) Journal homepage: [www.tandfonline.com/journals/icbi20](http://www.tandfonline.com/journals/icbi20)

## Assessing evidence in translational chronobiology: The cases of Daylight Saving Time and road safety, and of school start times and sleep duration

Gianluca Giusti, Chiara Mangini, Davide Erminelli, Esther Dingena Domenie & Sara Montagnese

**To cite this article:** Gianluca Giusti, Chiara Mangini, Davide Erminelli, Esther Dingena Domenie & Sara Montagnese (2024) Assessing evidence in translational chronobiology: The cases of Daylight Saving Time and road safety, and of school start times and sleep duration, *Chronobiology International*, 41:12, 1610-1625, DOI: [10.1080/07420528.2024.2428200](https://doi.org/10.1080/07420528.2024.2428200)

**To link to this article:** <https://doi.org/10.1080/07420528.2024.2428200>



© 2024 The Author(s). Published with license by Taylor & Francis Group, LLC.



[View supplementary material](#)



Published online: 26 Nov 2024.



[Submit your article to this journal](#)



Article views: 459



[View related articles](#)



[View Crossmark data](#)

# Assessing evidence in translational chronobiology: The cases of Daylight Saving Time and road safety, and of school start times and sleep duration

Gianluca Giusti<sup>a</sup>, Chiara Mangini<sup>b</sup>, Davide Erminelli<sup>b</sup>, Esther Dingena Domenie<sup>b</sup>, and Sara Montagnese<sup>a,b</sup>

<sup>a</sup>Chronobiology Section, Faculty of Health and Medical Sciences, University of Surrey, Guildford, UK; <sup>b</sup>Department of Medicine, University of Padova, Padova, Italy

## ABSTRACT

One of the main challenges in translating chronobiology research into clinical practice is represented by differences in how basic scientists and clinicians evaluate evidence. The workshop “Assessing Evidence in Translational Chronobiology,” which was held at the University of Surrey in June 2023, addressed this issue by bringing together basic scientists and clinicians to evaluate evidence on two specific topics: the impact of Daylight Saving Time (DST) on road traffic accidents and the relationship between delayed school start times (SSTs) and sleep duration in high school students. A comprehensive literature search was conducted for discussions during the workshop, which is presented in this review. The studies on both topics were analyzed from varying perspectives, including that of a chronobiologist and a transportation engineer for the DST-centered question, and that of a chronobiologist and an evidence-based medicine expert for the SSTs-centered question. The workshop audience, acting as a Delphi panel, attempted to produce statements/recommendations. It was concluded that most studies suggest that sleep duration benefits from delayed SSTs in high school, while less obvious results were obtained regarding the effect of DST on road safety.

## ARTICLE HISTORY

Received 1 April 2024  
Revised 1 October 2024  
Accepted 6 November 2024

## KEYWORDS



Sleep; circadian rhythms; daylight saving time; road traffic accidents; school start times; translational chronobiology


## Introduction

One of the challenges in translating Chronobiology research into practice is the difference in evaluating evidence between basic scientists and clinicians. This can result in some degree of disconnection between theoretical knowledge and practical applications, and in the assumption that what is reasonable from a pathophysiological view point can be translated into practice without the acquisition of the relevant evidence. This slows the translational process and also results in limited interest on the clinicians’ part for topics and discoveries that scientists believe to be translationally relevant. Clinicians utilise formal pre-defined criteria to acquire and assess evidence to inform diagnosis and treatment, while scientists are more interested in uncovering general principles underlying physiology, and also pathophysiology and disease. Thus, in contexts such as DST and road safety, as well as school start times and academic performance, a partnership between “basic” and “translational” chronobiologists may aid and speed decision and policy-making. Engaging in open and collaborative discussions about the relative importance of the respective perspectives, and different contexts in which research is conducted, is probably a reasonable starting point. The aim of this narrative review is to present a large

set of studies collected and analyzed for the workshop “Assessing evidence in Translational Chronobiology,” that took place at the University of Surrey (UK) in June 2023, and to offer some insights and recommendations. The available evidence for two “hot topics” in Translational Chronobiology: Daylight Saving Time (DST) contributing to road traffic accidents and delayed school start times (SSTs) resulting in increased sleep duration in high school students was evaluated in a multidisciplinary setting.

The influence of transitions to and from DST on road traffic accidents is difficult to assess due to the complexity of the factors involved (Adams et al. 2005; Broughton and Stone 1998; Carey and Sarma 2017; Ferguson et al. 1995; Martín-Olalla and Mira 2023; Sullivan and Flannagan 2007). On one hand, DST modulates environmental light conditions, and this effect varies considerably in different geographical areas. On the other hand, transitions to and from DST may result in sleep deprivation and circadian disruption in drivers. Both factors could impinge on the incidence of road traffic accidents of different types. Studies on the topic have typically reported either short-term (up to 2 weeks) or longer term effects (usually 3–13 weeks around the clock shift). Previous attempts to summarize the studies investigating

**CONTACT** Sara Montagnese  [sara.montagnese@unipd.it](mailto:sara.montagnese@unipd.it)  Section of Chronobiology, Faculty of Health and Medical Sciences, University of Surrey, Guildford GU2 7XH, UK

 Supplemental data for this article can be accessed online at <https://doi.org/10.1080/07420528.2024.2428200>

© 2024 The Author(s). Published with license by Taylor & Francis Group, LLC.

This is an Open Access article distributed under the terms of the Creative Commons Attribution-NonCommercial-NoDerivatives License (<http://creativecommons.org/licenses/by-nc-nd/4.0/>), which permits non-commercial re-use, distribution, and reproduction in any medium, provided the original work is properly cited, and is not altered, transformed, or built upon in any way. The terms on which this article has been published allow the posting of the Accepted Manuscript in a repository by the author(s) or with their consent.

these effects on road traffic accidents have found inconsistent short-term findings and positive long-term effects of DST (Carey and Sarma 2017; Martín-Olalla and Mira 2023; Molina et al. 2023). However, such positive effects cannot be attributed solely to DST, as other risk factors for road traffic accidents, such as photoperiod and weather conditions may also vary over time, particularly when comparing different months like December/January to May/June. The amount of social jet-lag (i.e. the effect of time constraints largely derived from the social context on sleep-wake timing and sleep duration) may also significantly differ in such months. This can lead to different degrees of sleep curtailment and circadian disruption, especially in evening types, potentially impinging on the risk of road traffic accidents (Borisenkov et al. 2017).

Sleep has been studied extensively in adolescents (Bruce et al. 2017). It is well known that adolescents and young adults tend to exhibit delayed sleep onset/offset, which often results in sleep curtailment, especially during weekdays, due to early SSTs (Colrain and Baker 2011). This has also been associated with impaired academic performance (Curcio et al. 2006), and also with an increase in transport accidents (Flatley et al. 2004). In this context, there is growing interest in whether delaying SSTs may be a useful strategy to increase sleep duration in adolescents and, in turn, also health and performance (Afolabi-Brown et al. 2022; Minges and Redeker 2016).

The aim of this narrative review is to explore the above two topics with methods that are commonly utilized to produce clinically relevant statements, recommendations and guidelines (Cornberg et al. 2019).

## Methods

The literature was interrogated via two well-defined PICO [Population (P), Intervention (I), Comparator (C), Outcome (O)] questions (Huang et al. 2006) i.e.:

- *Do healthy individuals (P) have an increased risk of road traffic accidents (O) during the Daylight Saving Time months (April-October)(I) compared to the standard time months (November-March)(C)?*
- *Are delayed school start times (I) associated with longer sleep duration (O) in high school students (P)? (C: standard school times)*

The evidence was first examined and summarized in a comprehensive, detailed fashion by authors CM and GG, one with a clinical and one with a neurobiological background, and then double-checked by author EDD. The final set of data for both questions was analyzed from more specific perspectives: that of a chronobiologist and


a transportation safety engineer for the DST-centred question, and that of a chronobiologist and an evidence-based medicine expert for the question on school starting times and sleep duration. The evidence was graded according to the Levels of Evidence (LoE) scale by the Oxford Centre for Evidence-based Medicine (Howick 2011); all papers for both questions were graded as LoE 3 or 4, which, in general, lead to weak or open statements and recommendations (Howick 2011). The audience of the meeting (a total of 30 participants), acting as a Delphi panel, discussed the overall evidence, and attempts were made to produce and vote statements/recommendations. A Delphi panel (i.e. the type of panel that generally reviews PICO-based clinical practice guidelines) consists of a diverse group of experts who have been chosen based on their knowledge and experience in the relevant topic and express written opinions at all stages of a guideline production (Nasa et al. 2021). In our case, a structured feedback process and iterative discussions between the panellists were chaired by the workshop organizers, with a view to achieve consensus during the workshop itself.

## Search Strategies and Selection Criteria

An extensive literature research was conducted using PubMed, Scopus, and Web of Science databases, without applying any filter/limitation. The final search was conducted on 11 May 2023; the descriptors for each topic are listed below. On first screening, which was performed through title and abstract evaluation, opinion pieces, book chapters, and newspaper/magazine articles in which no primary data were analyzed, together with papers written in languages other than English and clearly non-relevant records were excluded. The detailed processes are illustrated in the PRISMA flow diagrams (Page et al. 2021), (Figures 1 and 2). The full search strategy is available in the Supplementary Materials.

### DST and Road Traffic Accidents

The final search included the following descriptors: “daylight saving time,” “DST,” “time change,” “road safety,” “road traffic,” “crash,” “accident.” Studies reporting a quantitative analysis using primary data on the effects of DST on road safety-related outcomes (e.g. road traffic accidents, casualties, and animal-vehicle accidents) and any type of road user were included. A second screening resulted in the exclusion of studies that artificially constructed a change in lighting conditions (e.g. in a laboratory experiment), studies in which potential effects of DST were discussed but not analyzed, studies that did not specifically focus on the impact of DST, and/or were related to time-zone changes rather than DST.



**Figure 1.** PRISMA flow diagram. Selection process for research question: “Do healthy individuals have an increased risk of road traffic accidents during the daylight saving time months (April-October) compared to the standard time months (November-March)?” Excluded records on first screening were: opinion pieces/book chapters/articles in which no primary data were analyzed/papers not in English/clearly non-relevant records.

### **SSTs and Sleep Duration in High School Students**

The final search was conducted using the following descriptors: “sleep duration,” “sleep,” “high school,” “students,” “adolescents,” “school start time,” “school start times,” “school starting times,” “school start delay,” “start late,” “start early.” Studies reporting quantitative or semi-quantitative sleep assessment were included. On second screening, studies with endpoints other than sleep duration, populations other than high school students (e.g. elementary school students, university students, teachers), or no quantitative assessment of sleep duration were excluded.


## **Results**

### **Do Healthy Individuals Have an Increased Risk of Road Traffic Accidents During the Daylight Saving Time Months (April–October) Compared to the Standard Time Months (November–March)?**

#### **Characteristics of the Studies**

The final set included 31 original papers. Fourteen studies were from the USA (Coren 1996;

Cunningham et al. 2022; Ferguson et al. 1995; Fritz et al. 2019, 2020; Hicks et al. 1983; Huang and Levinson 2010; Lahti et al. 2010; Molina et al. 2023; Prats-Uribe et al. 2018; Smith 2016; Sood and Ghosh 2007; Stevens and Lord 2006; Zhou and Li 2022), 12 from Europe (Abeyrathna and Langen 2021; Alsousou et al. 2009; Bunnings and Schiele 2021; Coate and Markowitz 2004; Ellis et al. 2016; Lambe and Cummings 2000; Nohl et al. 2021; Robb and Barnes 2018; Singh et al. 2022; Sullivan and Flannagan 2007; Varughese and Allen 2001; Whittaker 1996), one from Asia (Teke et al. 2021), one from Oceania (James 2023), and three studies with no specific location (Martín-Olalla and Mira 2023; Meyerhoff 1978; Vincent 1998), published from 1978 to 2023 (median year of publication: 2016). All studies were retrospective observational, and one was a meta-analysis. Most of the studies (77%) analyzed the short-term effects of clock shifts on the risk of road traffic accidents by assessing the period immediately (two weeks or less) before and/or after. In addition, 45% of the studies investigated the overall or longer term effects of clock shifts on road safety. The



**Figure 2.** PRISMA flow diagram. Selection process for research question: "Are delayed school start times associated with longer sleep duration in high school students?" Excluded records on first screening were: opinion pieces/book chapters/articles in which no primary data were analyzed/papers not in English/clearly non-relevant records.

timeframes for the longer term effect studies ranged from 3 to 13 weeks. A single study conducted a comparative analysis of the two-weeks before and after transitioning to and from DST with equivalent intervals without the transition (Teke et al. 2021). Thirteen out of 31 papers focused the analysis on all types of road traffic accidents (41%), eight on fatal accidents (25%), two on hospital admissions due to road traffic accidents (6%), three on animal-vehicle accidents (9%), and five on motor vehicle accidents (16%).

### The Short Term Effect

The main findings are summarized in Table 1. Of the 24 studies analyzed, five reported an increase in the total number of road traffic accidents (Coren 1996; Hicks et al. 1983; Lahti et al. 2010; Robb and Barnes 2018; Stevens and Lord 2006) and five indicated an increase in fatal or severe injuries (Alsousou et al. 2009; Fritz et al. 2020; Prats-Urbe et al. 2018; Smith 2016; Varughese and Allen 2001). Eleven studies did not observe a difference after the clock shift to DST in Spring (Abeyrathna and Langen 2021; Bunnings and Schiele 2021; Cunningham et al. 2022; Fritz et al. 2019; James

2023; Lambe and Cummings 2000; Molina et al. 2023; Nohl et al. 2021; Sood and Ghosh 2007; Teke et al. 2021; Vincent 1998), with some exceptions when different types of road traffic accidents were taken into account (Bunnings and Schiele 2021; Molina et al. 2023; Nohl et al. 2021). Molina et al. documented a notable increase in fatal accidents and nighttime crashes, particularly from Sunday to Friday. However, no evident variations were reported within the broader sample (Molina et al. 2023). A few studies (three out of 24) suggested a potentially positive effect of the Spring transition to DST on road safety (Huang and Levinson 2010; Whittaker 1996; Zhou and Li 2022).

Considering the clock shift to standard time, 20 short-term studies provided relevant data, out of which seven reported an increase in the risk of all types of road traffic accidents, fatal accidents, and accidents involving animals after the transition from DST to standard time (Abeyrathna and Langen 2021; Cunningham et al. 2022; Molina et al. 2023; Prats-Urbe et al. 2018; Stevens and Lord 2006; Varughese and Allen 2001; Zhou and Li 2022). Eleven studies reported no difference after the DST to standard time clock shift (Bunnings and Schiele 2021; Fritz et al. 2019, 2020; Huang and Levinson 2010;

**Table 1.** Summary of the 24 studies on the short-term effects of time transitions (to/from DST) on road traffic accidents.

Authors(year)	Analysis years	Timeframe	Key findings	Population	Sample size
Abeyrathna et al. (2021)	2005–2007	Up to 4 weeks before and 4 weeks after	Following the transition to DST, no change/slight decrease in the frequency of animal-vehicle accidents in the evening hours on weekdays. After the transition to standard time, the animal-vehicle accidents rate increased during evening hours and decreased in morning hours on weekdays	Animal-vehicle accidents	35167
Alsousou et al. (2009)	1996–2006	Up to 4 weeks before and 4 weeks after	Fatal accidents related to RTAs increased up to 14 days after the transition to DST	Fatal accidents	282
Bunnings and Schiele (2021)	1997–2017	n/a	No clear evidence. Fatal/serious accidents increased by 7.2% during the dark hours	All accidents	4100000
Coren (1996)	1991–1992	1 week before, week of and 1 week after	RTAs increased by 8% after transition to DST and decreased by 8% after transition to standard time	All accidents	21603
Cunningham et al. (2022)	1994–2021	1 week before and 1 week after	Animal-vehicle accidents were 14 times more likely shortly after dark. Night-time traffic and animal-vehicle accidents were more frequent during standard time. Animal-vehicle accidents increased by 16% in the week after transition to standard time	Animal-vehicle accidents	1012465
Fritz et al. (2019)	1975–2018; 2012–2018; 2007–2018	Saturdays, Sundays, and Mondays in the week before and after the DST spring transition.	No differences in fatal/non-fatal accident rates associated with the time transitions. This was not influenced by accident fatality, time-of-day, or geographical location	All accidents	1874672
Fritz et al. (2020)	1996–2006; 2007–2017	1 week before and 1 week after	Fatal traffic accident risk increased by 6% after transition to DST, especially in the morning. West locations in time zone were more affected by transition to DST	Motor vehicle accidents	732835
Hicks et al. (1983)	1976–1978	1 week before and 1 week after	Transitions to/from DST were associated with a significant increase in RTAs during the post-change weeks. The negative consequences of transitions may persist for more than one week	All accidents	120111 (weekly-RTA database); 240222 (daily-RTA database)
Huang and Levinson (2010)	2001–2007	Up to 8 weeks before and after	DST is associated with fewer crashes for most dayparts; DST is also correlated with fewer fatal crashes than standard time	Motor vehicle accidents	n/a
James (2023)	1989–2015	According to day-of-week, month-of-year, year, and state fixed model	DST did not have an impact on fatal accidents. There was evidence of reallocation of accidents over the day due to ambient light	Fatal accidents	41000
Lahti et al. (2010)	1981–2006	1 week before and after	Transitions to/from DST did not increase the number of crashes requiring hospitalization. DST transitions may increase the number of less severe accidents not requiring hospital treatment	Motor vehicle accidents	n/a
Lambe and Cummings (2000)	1984–1995	Monday before and after; 1 week after	Transition to/from DST did not have measurable effects on RTAs rates	All accidents	6844
Molina et al. (2023)	1983–2019	1 week before and after	An increase in all crashes on the Sunday and Monday after transition from DST; other days were not significant	All accidents	n/a
Nohl et al. (2021)	2002–2017	1 week before and after	Increased motorcycle accidents up to 52%, but no difference in overall RTAs after transition to DST. Decrease in motorcycle and bicycle accidents during time transition from DST to standard time	Number of traumas due to RTA	30000

(Continued)

**Table 1.** (Continued).

Authors(year)	Analysis years	Timeframe	Key findings	Population	Sample size
Prats-Uribe et al. (2018)	1990–2014	Day of the DST shift and up to 30 days after	Risk of fatal RTAs increased by 30% on the day of transition to/from DST and decreases after (the effect is similar but less pronounced after the transition to standard time)	Fatal accidents	n/a
Robb and Barnes (2018)	2005–2016	1 week before and after	RTAs rates RTAs increased by 16% on the day of transition to DST and by 12% the following day	All accidents	2256
Smith (2016)	2002–2011	n/a	Fatal RTAs increased by 5-7% immediately after the transition to DST; no impact after the transition from DST	Fatal accidents	40000
Sood and Ghosh (2007)	1976–2003	Monday before, Monday of and Monday after	No short term effect	Fatal accidents	n/a
Stevens and Lord (2006)	1998–2000	5 days before and after	A negative impact of the transition to/from DST is particularly marked for the transition from DST. Transition to DST results in a decrease in the number of pedestrian crashes	All accidents	157290
Teke et al. (2021)	2014–2015 winter time; 2015–2016 summer time; 2016–2017 winter time; 2017–2018 summer time;	2 weeks before and after ST shift (2014–2015) and DST shift (2015–2016); 2 weeks before and after the same period with permanent DST in 2016–2017 winter months and 2017–2018 summer months	No increase in the number of RTAs during the transition to/from DST. Gender, time of admission, week of admission, injury severity scores, and outcome are not affected by time transitions	Hospital admission after road traffic collisions	710
Varughese and Allen (2001)	1975–1995	1 week before and after	Increase in vehicle accidents on Monday after transition to DST; increase accidents on the Sunday after transition to standard time	Fatal accidents	n/a
Vincent (1998)	1984–1993	Up to 8 days before and after	No peaks on Mondays after the transition to/from DST. No differences in motor vehicle accidents rates in the weeks before/after the transitions	Motor vehicle accidents	n/a
Whittaker (1996)	1983–1993	1 week before and after	Accidents decreased by 6% in morning and 11% in evening after transition to DST, especially in the pedestrian (36%), cyclist (11%) and schoolchild (24%) subgroups. Transition from DST associated with a reduction (6%) in accidents in the morning. Evenings were associated with significant increases in accidents (4%), mainly involving vehicle (5%) and pedestrian (8%)	Fatal accidents	4185
Zhou and Li (2022)	2014–2016	Up to 8 week for the Spring time change and until 4 week for the Autumn time change	Decreased accidents after transition to DST, the highest reduction on Sundays (27%) and lowest on Fridays (14%). Nighttime accidents decreased by a third, while daytime had a mild reduction of 12%. Increased accidents after transition from DST, the highest on Mondays (14%)	All accidents	n/a

RTAs=road traffic accidents, DST=Daylight Saving Time.

James 2023; Lahti et al. 2010; Lambe and Cummings 2000; Nohl et al. 2021; Sood and Ghosh 2007; Teke et al. 2021; Vincent 1998). However, while Nohl et al. reported no changes after the DST to standard time shift when the entire sample was analyzed, they found a decrease in motorcycle and bicycle road accidents (Nohl et al. 2021). Finally, two studies found a decrease in road traffic accidents after the clock shift to standard time (Coren 1996; Hicks et al. 1983).

Some studies also focused on the immediate effect of the transition (Harrison 2013; Lahti et al. 2010). Following DST, a significant increase in road traffic accidents was observed on Monday, and a corresponding reduction was observed after the DST to standard time shift in Autumn (Coren 1996). Varughese and Allen found an increase in fatalities immediately following the clock shifts in both Spring and Autumn (Varughese and Allen 2001). By contrast, Lambe and Cummings showed

no significant differences in accident frequency on the Monday before, the Monday immediately after, and the second Monday after the Spring and Autumn transitions (Lambe and Cummings 2000). Vincent reported no peaks or troughs on Mondays after the transition to DST or the return to standard time (Vincent 1998). Molina et al. only observed an increase in all crashes immediately after the end of the DST in Autumn (Molina et al. 2023).

### The Longer Term Effect

Fourteen studies examined the longer term impact of DST on road safety (Table 2). Two studies reported an increase in accidents and casualties after the Spring transition (Alsousou et al. 2009; Smith 2016); three studies did not report changes associated with DST months in accidents, injuries, and fatalities (Coate

and Markowitz 2004; Prats-Urbe et al. 2018; Sullivan and Flannagan 2007). However, factors such as light conditions and the type of road users impacted the results when taken into consideration (Coate and Markowitz 2004; Sullivan and Flannagan 2007). In this regard, although Coate and Markowitz did not report any significant differences in accident rates, they observed an increase in morning pedestrian fatalities when sunrise and sunset were later (Coate and Markowitz 2004). Six studies reported a reduction in accidents during DST months, although the overall magnitude of this effect is difficult to estimate due to the variability of approaches and analyses in such studies (Ferguson et al. 1995; Huang and Levinson 2010; Meyerhoff 1978; Singh et al. 2022; Sood and Ghosh 2007; Zhou and Li

**Table 2.** Summary of the 14 studies on the long-term effects of DST vs standard time on road traffic accidents.

Authors(year)	Analysis years	Timeframe	Key findings	Population	Sample size
Abeyrathna et al. (2021)	2005-2007	4 weeks before and 4 weeks after	Animal-vehicle accidents significantly increased after the transition from DST for the first three weeks. Accident rates increased steadily for six weeks before transition and peaked in the second week after	Animal-vehicle accidents	35167
Alsousou et al. (2009)	1996-2006	4 weeks before and 4 weeks after	Overall, there were more accidents both after transition to/ from DST (34%/65%)	Fatal accidents	282
Coate and Markowitz (2004)	1998-1999	1 month before and 1 month after	Full year DST would reduce all pedestrian fatalities by 13% in the 5:00-10:00 a.m. and 4:00-9:00 p.m. time periods. Motor vehicle occupant fatalities would be reduced by 3% per year. Overall, no difference in fatal accidents	Fatal accidents	14360
Cunningham et al. (2022)	1994-2021	Over the year	Permanent DST would prevent 36 550 deer-vehicle collisions and save \$1.2 billion in collision costs annually. Permanent standard time would lead to 74 000 additional deaths annually	Animal-vehicle accidents	1012465
Ellis et al. (2016)	2009-2010; 2010-2011	April to Sept – Oct to March	DST decreased accidents involving koalas by 8% on weekdays and 11% on weekends in the DST months. Implementing DST could prevent many koala deaths each year	Animal-vehicle accidents	1348
Ferguson et al. (1995)	1987-1991	22 weeks before and 22 weeks after	Reduced pedestrian and vehicle occupant fatalities due to DST implementation. Reported inverse relationship between light level and fatal crashes. Controlled for geographic variation by calculating actual sunrise/sunset times	Fatal accidents	74811
Huang and Levinson (2010)	2001-2007	8 weeks before and after	Overall DST associated with fewer accidents than standard time in the long run	Motor vehicle accidents	n/a
Meyerhoff (1978)	1973 -1974	n/a	DST reduces fatal RTAs by approximately 1%, during several weeks after the transition to/from DST	Motor vehicle accidents	n/a
Prats-Urbe et al. (2018)	1990-2014	Day of the DST and up to 30 days	DST changes associated with lower road safety, with a cost of 1.5 lives every year due to RTAs	Fatal accidents	n/a
Singh et al. (2022)	2005-218	3 weeks before and 3 weeks after	DST transitions have a minor positive impact on road accidents and fatalities. The estimated reduction in fatalities is 0.75 per year on average. The estimated reduction in total accidents is 4.73 per year on average	All accidents and fatalities	-700000
Smith and Austin (2016)	2002-2011	n/a	Overall DST increased the fatal vehicle accidents but the results are limited	Fatal accidents	-40000
Sood and Ghosh (2007)	1976-2003	Monday before, Monday of and Mondays after	Having controlled for collision trends within and across years, 8-11% decrease in fatal accidents involving pedestrians and 6-10% decrease for vehicular occupants during DST	Fatal accidents	n/a
Sullivan and Flannagan (2007)	1987–2004; 1991–1999	5 weeks before and after	No effect reported, while risk for fatal accidents involving pedestrians, animals and other motor vehicles was increased in low light levels	All accidents	56266
Zhou and Li (2022)	2014-2016	Up to 8 week for the spring time change and up to 4 week for the Autumn time change	Transition to DST led to an 18% reduction in accidents over an eight-week period, while transition from DST resulted in a 6% increase in accidents over a four-week period	All accidents	n/a

RTAs=road traffic accidents, DST=Daylight Saving Time.

2022). Nevertheless, when accidents involving pedestrians were considered, the decrease clearly tended to be larger for pedestrians than for vehicle occupants (Ferguson et al. 1995; Sood and Ghosh 2007). Moreover, three studies showed a decrease in road traffic accidents involving animals during DST months and an increase during standard time months (Abeyrathna and Langen 2021; Cunningham et al. 2022; Ellis et al. 2016).

Most literature has predominantly relied on actual data to explore the longer term consequences of DST on road traffic safety, assessing a specific time period within a given range of weeks (between 3 and 13 weeks) in the Spring and/or Autumn. However, it is worth mentioning that five studies utilized models developed from real data to estimate the effect as a year-round DST (“long-term effect”), generally as a secondary study aim (Bunnings and Schiele 2021; Coate and Markowitz 2004; Cunningham et al. 2022; Ferguson et al. 1995; Stevens and Lord 2006). Some models considered various relevant factors (e.g. light conditions, state speed limits, seat belt and vehicle inspection regulations, alcohol control policies and weather) but did not account for the longer-term effects of clock shifts and later sunrises and sunsets on sleep patterns. While some of these studies showed a larger reduction in accidents involving pedestrians rather than vehicles with a year-round DST (Coate and Markowitz 2004; Ferguson et al. 1995), others reported that a year-round standard time would reduce motor vehicle accidents and, to a lesser extent, accidents involving pedestrians (Stevens and Lord 2006). Additionally, Bunnings and Schiele compared simulated accident counts under different time regimes, suggesting that road safety is somewhat higher under an all-year DST than under an all-year standard time (Bunnings and Schiele 2021).

Finally, in what is a unique study, Teke and co-authors compared emergency room admissions resulting from road traffic accidents during the two weeks around DST, before and after the implementation of permanent DST in Turkey, reporting no impact on road traffic accidents during these weeks (Teke et al. 2021).

### **Are Delayed School Start Times Associated with Longer Sleep Duration in High School Students?**

#### **Characteristics of the Studies**

The final database included 42 original papers (Table 3) from different geographical areas: 25 from USA/Canada (Berry et al. 2021; Boergers et al. 2014; Carskadon et al.

1998; Danner and Phillips 2008; Dunster et al. 2018; Fuller and Bastian 2022; Gariépy et al. 2017; Meltzer, Saletin, et al. 2021, Meltzer, Wahlstrom, et al. 2021; Meltzer 2022; Nahmod et al. 2017; Ming et al. 2011; Neuroth et al. 2021; Owens et al. 2010, 2017; Nahmod et al. 2019; Paksarian et al. 2015; Patte et al. 2017, 2019; Peltz et al. 2017; Short et al. 2013; Thacher and Onyper 2016; Wahistrom 2002; Weingart et al. 2021; Widome et al. 2020), 7 from Europe (Alfonsi et al. 2020; Das-Friebel et al. 2020; Evanger et al. 2023; Koscec Bjelajac et al. 2020; Perkinson-Gloor et al. 2013; Vedaa et al. 2012; Winnebeck et al. 2020), 6 from Asia (Borisenkov et al. 2022; Chan et al. 2017, 2018; Kim 2022; Lo et al. 2018; Rhie et al. 2018), three from South America (Alves et al. 2020; De Araújo et al. 2022; Estevan et al. 2022), and one from Oceania (Borlase et al. 2013), published between 1998 and 2023 (median year of publication: 2018). Twenty-two studies were longitudinal, whereas the others were observational (Table 3).

The final database comprised ~ 340000 high school students from grades 9<sup>th</sup> to 12<sup>th</sup>, age 13–18 y; in 10 studies, grades 6<sup>th</sup> to 8<sup>th</sup> were also considered (Borisenkov et al. 2022; Gariépy et al. 2017; Kim 2022; Koscec Bjelajac et al. 2020; Lo et al. 2018; Meltzer et al. 2021, 2022; Owens et al. 2017; Patte et al. 2017; Weingart et al. 2021). The median cumulative population was ~ 1150 participants. When grouping students by population size, five studies (12%) included < 100 students, 12 (29%) 100–500 students, three (7%) 501–1000 students, 14 (31%) 1001–10000 students, and eight (21%) >10000 students (Table 3).

Sleep duration was assessed with questionnaires in most studies ( $n = 32$ ); actigraphy was used in 8 studies, either alone (3 studies) or together with another method (sleep diaries in 3 studies, sleep diaries and melatonin profiles in 1 study, surveys in 1 study); sleep diaries were also used alone in 2 studies and together with surveys in other 2 studies, while 1 study assessed sleep duration with face-to-face interviews and surveys (Table 3). Actigraphy and sleep diaries were used when the population size was smaller, whereas questionnaires/surveys were preferred in studies with a larger population size (Figure 3).

#### **Main Findings**

Despite the large variety of study designs, delayed SSTs were associated with longer sleep duration in 39 out of 42 studies, with a mean $\pm$ SD sleep time extension of  $36 \pm 16$  min. Both longitudinal and observational studies found an increase in sleep duration with later SSTs. SSTs at baseline varied considerably, from as early as 07:15 h to 09:00 h (mean $\pm$ SD SST at baseline  $07:51 \pm 00:27$  h), and SST delay also varied, with a mean of  $50 \pm$


**Table 3.** Summary of the 42 studies on the effect of delaying School Start Time (SST) on sleep duration in high school students.

Authors(year)	Population	Methods	Intervention/Exposure	Outcomes/key findings	Secondary outcomes
Studies that met the primary outcome – intervention					
Estevan et al. (2022)	grades 9-12 high school students (15)	actigraphy	60 min SST delay due to irregular SSTs during pandemics	34 ± 5 min increase in sleep duration	
de Araújo et al. (2022)	high school students (48)	actigraphy sleep diaries	60 min SST delay for 1 week	increase in sleep duration	mental health
Winnebeck et al. (2020)	grades 10-12 high school students (65)	actigraphy	60 min optional SST delay for 9 weeks	65 min increase in sleep duration	sleep quality
Dunster et al. (2018)	grade 10 high school students (100)	actigraphy surveys	50 min SST delay	34 min increase in sleep duration	academic performance
Vedaa et al. (2012)	grade 10 students (106)	questionnaires reaction time tests	60 min SST delay on Mondays	60 min increase in sleep duration on Sunday nights	sleep quality
Boergers et al. (2014)	grades 9-12 boarding school students (197)	surveys	25 min SST delay	29 min increase in sleep duration	mental health
Owens et al. (2010)	grades 9-12 high school students (201)	surveys	30 min SST delay	45 min increase in sleep duration	mental health
Borlase et al. (2013)	grades 9-12 high school students (212)	surveys	90 min SST delay	increase in sleep duration	sleep quality
Chan et al. (2018)	grade 11 high school students (228)	questionnaires	60 min SST delay	increase in sleep duration	mental health
Lo et al. (2018)	grades 7-10 students (375)	actigraphy sleep diaries	45 min SST delay	23.2 min increase in time in bed	mental health
Widome et al. (2020)	grades 9-11 high school students (455)	actigraphy	50 min SST delay	42 min increase in sleep duration	
Meltzer et al. (2022)	grades 6-12 students (1152)	surveys	50 min SST delay	31 min increase in sleep duration	sleep quality
Chan et al. (2017)	students (1173)	surveys	15 min SST delay	increase in time in bed	mental health
Wahistrom (2002)	grades 9-12 high school students (~1200)	surveys school reports	85 min SST delay	increase in sleep duration	mental health
Kim (2022)	grades 7-12 students (2351)	surveys	60 min later SST	increase in sleep duration	academic performance
Berry et al. (2021)	grades 9-11 high school students (2414)	surveys	50 min SST delay	increase in sleep duration	sleep quality
Owens et al. (2017)	grades 7-12 students (2416)	questionnaires	50 min SST delay	30.1 min increase in sleep duration	sleep quality
Danner et al. (2008)	grades 9-12 high school students (9966)	questionnaires	60 min SST delay	increase in sleep duration	car crash
Patte et al. (2019)	grades 9-12 high school students (27930)	questionnaires	10 min SST delay	23.7 min increase in sleep duration	
Meltzer, Wahlstrom, et al. (2021) (2)	grades 6-12 students (~28000)	surveys	70 min SST delay	45 min increase in sleep duration	sleep quality
Rhie et al. (2018)	grades 9-12 high school students (42517)	surveys	60 min SST delay	increase in sleep duration	academic performance
Fuller et al. (2022)	grades 9-12 high school students (62873)	surveys school reports	90 min SST delay	46 min increase in sleep duration	academic performance
Studies that met the primary outcome – exposure					
Carskadon et al. (1998)	grades 9-10 high school students (40)	actigraphy sleep diaries melatonin	65 min SST advance due to transition from 9 to 10 grade	decreased sleep duration and delay in DLMO phase in 10th grade	
Alfonsi et al. (2020)	students (51)	sleep diaries	early vs late (≥8:30 a.m.) SST	34 min increase in sleep duration across the academic year	academic performance
Nahmod et al. (2019)	adolescents (383)	actigraphy sleep diaries	very early (<7.30 a.m.) vs early vs late (>8.30 a.m.) SST	21-34 min increase in sleep duration	
Nahmod et al. (2017)	students (413)	sleep diaries	early vs late (>8.30 a.m.) SST	27-57 min increase in sleep duration	
Weingart et al. (2021)	grades 6-12 teens (590)	surveys	irregular SSTs in home-schooling	increase in sleep duration	
Short et al. (2013)	grades 9-12 high school students (687)	sleep diaries surveys	earlier vs later SST difference (45 min)	47 min increase in sleep duration	
Ming et al. (2011)	grades 9-12 high school students (1941)	surveys	early vs late SST	earlier SSTs associated with shorter sleep duration	sleep quality
Koscec Bjelajac et al. (2020)	grades 6-12 students (2033)	surveys	weekly SST alternation 08:00 a.m./14:00 p.m.	increase in sleep duration in 14:00 a.m. SST	mental health
Perkinson-Gloor et al. (2013)	grades 8-9 students (2716)	questionnaires	earlier vs later SST difference (20 min)	increase in sleep duration	mental health
Evanger et al. (2023)	grades 10-11 high school students (4010)	surveys	earlier vs later SST (15 min)	increase in sleep duration	circadian preference predictor
Meltzer, Saletin, et al. (2021)	students (5245)	surveys	irregular SSTs during pandemics	increase in sleep duration	

(Continued)

**Table 3.** (Continued).

Authors(year)	Population	Methods	Intervention/Exposure	Outcomes/key findings	Secondary outcomes
Borisenkov et al. (2022)	grades 6–11 students (6571)	questionnaires	earlier vs later SST difference (60 min)	increase in sleep duration	academic performance
Paksarian et al. (2015)	grades 9–12 high school students (7308)	interviews school reports	early vs late SST	increase in sleep duration	
Alves et al. (2020)	grades 9–11 high school students (11525)	questionnaires	morning vs afternoon school shifts	increase in sleep duration in afternoon shifts	
Gariépy et al. (2017)	grades 6–12 students (29635)	surveys	earlier vs later SST difference (10 min)	3.2 min increase in sleep duration every 10 min delay in SST	
Patte et al. (2017)	grades 9–12 high school students (35821)	surveys	earlier vs later SST difference (60 min)	7 min increase in sleep duration	health recommendations
Neuroth et al. (2021)	grades 9–12 high school students (46537)	surveys	early vs late ( $\geq 8:30$ a.m.) SST	increase in sleep duration	mental health
Studies that did not meet the primary outcome					
Peltz et al. (2017)	grades 9–11 high school students (197)	sleep diaries surveys	early (<8.30 a.m.) vs late ( $\geq 8:30$ a.m.) SST	baseline better sleep hygiene improved mental health	mental health
Thacher et al. (2016)	grades 9–12 high school students (410)	surveys school reports	45 min SST delay	delay in sleep period	academic performance
Das-Friebel et al. (2020)	grades 9–12 high school students (663)	surveys	20 min SST delay	delay in sleep period	



**Figure 3.** Sleep duration measurement methods. Number of studies (out of a total of 42) using actigraphy (blue), sleep diaries (red), questionnaires/surveys (grey) or interviews (violet) as the main method for sleep measurement, grouped by study population size (x-axis). In small population size studies ( $n < 100$ ), actigraphy and sleep diaries were the preferred method, whereas questionnaires/surveys were preferred in larger studies.

21 min and a median of 60 min (mean $\pm$ SD SST after the delay: 08:42  $\pm$  00:32 h). Even short delays of 30 min or less resulted in longer sleep duration (Boergers et al. 2014; Chan et al. 2017; Evanger et al. 2023; Gariépy et al. 2017; Neuroth et al. 2021; Owens et al. 2010; Patte et al. 2019; Perkinson-Gloor et al. 2013). The methods, study population and main findings of all studies included are summarized in Table 3, divided by outcome and intervention/exposure. Of interest, Carskadon et al. studied the effect of a 65-min earlier SST in 10<sup>th</sup> grade compared to the later 9<sup>th</sup> grade SST in a total 40 students; earlier SST was associated with a decrease in sleep duration, as measured by actigraphy (Carskadon et al. 1998).

Of the 39 studied that met the outcome of prolonging sleep duration, 27 also included and met different secondary outcomes (Table 3), that were positively associated with the main finding: 11 studies showed an improvement in mental health issues (e.g. symptoms of depression/anxiety), eight studies showed an increase in sleep quality, six found an improvement in academic performance, and finally longer sleep duration was associated with circadian preference predictors, general health improvement, and car crash incidence decrease in one study each (Table 3).

Of three studies in which delayed SSTs did not result in longer sleep duration, Das-Friebel et al. analyzed

surveys of 663 high school students before and after a 20-min delay of SST: a significant delay in bed and wake up times (but not in sleep duration) was observed; moreover, daytime sleepiness and mood did not improve (Das-Friebel et al. 2020). In Peltz et al., early *versus* late SST did not show a difference in sleep duration in 197 adolescents, using surveys and sleep diaries, although a better sleep hygiene was associated with improvement in mental health in this study (Peltz et al. 2017). Finally, Thacher et al. analyzed a 45 min delay in SST at two follow-up (after six and 12 months) of 410 high school students via surveys, and found that, after a transient longer sleep duration at first follow-up time, this was not confirmed at second follow-up; nevertheless, a significant reduction in daytime sleepiness at both follow up times was recorded (Thacher and Onyper 2016).

## Discussion

### *DST and Road Traffic Accidents*

Although numerous studies have explored the impact of DST on road safety – mostly the short term impact of transitions to and from DST – findings have been inconsistent, with some studies indicating that clock adjustment can have either a positive or negative influence on road safety, and others documenting no impact. These disparate outcomes may be due to the opposing effects of DST, as previously suggested (Carey and Sarma 2017). Although DST increases ambient light in the late afternoon, when traffic volumes are typically high, thus increasing road safety, it also negatively affects drivers by causing sleep curtailment, which can adversely affect driving ability (Orsini et al. 2022, 2023). Sleep curtailment can be especially problematic for adolescents and young adults, who are also more susceptible to social jet-lag and to high-risk behaviours such as speeding, texting while driving, and substance misuse. The adverse effects of sleep curtailment and circadian misalignment may be more prominent during midwinter's limited daylight hours and midsummer's late sunsets. Consequently, studies conducted over 3–13 weeks during Spring or Autumn transitions could underestimate the longer-term impact of DST on road safety. Moreover, due to the retrospective nature of the studies, it is difficult to isolate the effect of DST *per se*, especially when considering the confounding effects of factors such as traffic volumes, road conditions, weather (and their combination, such as icy stretches), or road users involved. Finally, most of the research conducted thus far has focused on examining the impact of changes between standard time and DST, and on distinguishing

between the effects of the Autumn and Spring transitions. Fewer studies have attempted to compare the consequences of DST *versus* standard time in general.

By contrast, the majority of longer term data and models suggested a decrease in road traffic accidents despite the wide range in time frames, ranging from 3 to 13 weeks, although inconsistency remained. Moreover, it is important to note that DST is different from permanent DST. This, which is not necessarily widespread perception, would result in work/school starting long before dawn, depending on geographical location and photoperiod (Antle 2023). In addition, the loss of morning light and late evening light exposure in the summer would result in further circadian delay, making it harder to fall asleep at night and to wake up in the morning. This is most likely the reason why experiments with permanent DST (for example in Russia, the USA, and the United Kingdom) have all been rapidly abandoned (Borisencov et al. 2017; Gray and Jenkins 2019; UK Time Zone History). Considering this, some theoretical models suggest that maintaining either DST or standard time year-round is preferable to transitioning, even though it is difficult to imagine how to conduct actual research on this to produce meaningful comparisons of the two options. Some information in this respect can be gauged by use of position within a time zone as a surrogate marker of the impact of time adjustment. These types of studies, which we did not include in our assessments, seem to indicate that there are more fatal accidents throughout the year when sunrises/sunsets occur later (Gentry et al. 2022).

Further research is necessary to explore the intricate relationship between DST and road safety, taking into account of variables such as geography (and thus photoperiod), weather, season and population characteristics. Studies from different regions have shown different outcomes, which suggests that local factors, such as latitude, habits, and traffic infrastructure may all play a role, making the effects of DST on road safety difficult to generalize.

The currently available evidence is of low-moderate quality and the results extremely variable. The Delphi panel agreed that no statement or recommendation could be formulated.

### *SSTs and Sleep Duration in High School Students*

This review demonstrates that delaying SSTs, even for less than 60 min, was associated with an increase in sleep duration in high school students; the evidence was confirmed in different contexts, considering SSTs at baseline, minutes of delay, timeframe of the change in SST, as well as total amount of hours spent at school, extra-school

activities, and home-school distance. Most studies considered a set of secondary outcomes, mainly regarding adolescents' mental health issues and academic performance, which were related to sleep duration in these studies, but that could also be consequences of diverse situations, e.g. the use of social media (van den Eijnden et al. 2021). A longer sleep duration has been linked to better sleep quality (Berry et al. 2021; Borlase et al. 2013; Meltzer et al. 2021, 2022; Ming et al. 2011; Owens et al. 2017; Vedaa et al. 2012; Winnebeck et al. 2020), mental health (Boergers et al. 2014; Chan et al. 2017, 2018; De Araújo et al. 2022; Koscec Bjelajac et al. 2020; Lo et al. 2018; Neuroth et al. 2021; Owens et al. 2010; Peltz et al. 2017; Perkinson-Gloor et al. 2013; Wahistrom 2002), and academic performance (Alfonsi et al. 2020; Borisenkov et al. 2022; Dunster et al. 2018; Fuller and Bastian 2022; Kim 2022; Rhie et al. 2018), thus underlining the crucial role of sleep hygiene during adolescence (Berry et al. 2021; Kansagra 2020); this is in line with similar data found in university students (Albqoor and Shaheen 2021; Yeo et al. 2023), teachers (Wahlstrom et al. 2023), and the general population (Chaput et al. 2020). In conclusion, there is evidence to indicate a benefit of delaying SST in high school, even for delays of less than 60 min, and there is a need to raise awareness on the concept of "making time for sleep" for students, especially during school days.

The currently available evidence is of low-moderate quality, but the results are homogeneous. The Delphi panel formulated the following statement: delayed SSTs, as short as 20 minutes, are associated with longer sleep duration in high school students.

## Conclusions

With respect to both subjects and both statements, it is obvious that the lack of randomized controlled trials (RCTs), which represent the best type of evidence in medical terms, is, to an extent and especially in relation to DST, a feasibility issue. The lack of RCTs does not impinge on either the need for formal evaluation of the available evidence, or the usefulness of its actual rating.

Feedback from the workshop participants emphasised the usefulness of discussions based on diverse competence and the involvement of experts with different backgrounds to include, for example, transportation engineering and economics. The literature on DST and road safety is ambiguous, as already mentioned above. Discussions on the impact of delayed SSTs on sleep duration among adolescents were easier and generated a more widely agreed-upon statement. However, factors affecting implementation on any deriving policy (for example a delay in SST) were highlighted, to include parental influence, logistics etc.

Also in relation to implementation, the importance of effective communication as a means to facilitate knowledge exchange, rather than simply disseminating evidence, was underscored. Further, it was highlighted that transparency regarding the limitations in knowledge/evidence and attempts at identifying "winners and losers" of any policy change will also be crucial. Aligning scientific evidence with the objectives of policy-making and considering alliances involving different stakeholders will also help driving change.

Finally, informed and possibly compelling risk/benefit and economic arguments will be essential to help transform scientific findings into effective public health initiatives or changes in policy on a wider scale. In summary, participants felt that the application of methods for evidence assessment borrowed from clinical medicine seems useful to ease collaborations and to identify well-defined and pragmatic research questions within the context of translational Chronobiology.

## Acknowledgments

The authors wish to acknowledge the contribution of all speakers and participants to the workshop (<https://www.ias.surrey.ac.uk/event/assessing-evidence-in-translational-chronobiology/>), and especially Prof. Debra J Skene, at the University of Surrey.

## Disclosure Statement

No potential conflict of interest was reported by the author(s).

## Funding

The workshop was part-funded by the Institute of Advanced Studies at the University of Surrey, Guilford, UK.

## References

- Abeyrathna WANU, Langen TA. 2021. Effect of daylight saving time clock shifts on white-tailed deer-vehicle collision rates. *J Environ Manag.* 292:112774. doi: [10.1016/j.jenvman.2021.112774](https://doi.org/10.1016/j.jenvman.2021.112774)
- Adams J, White M, Heywood P. 2005. Year-round daylight saving and serious or fatal road traffic injuries in children in the north-east of England. *J Public Health.* 27:316–317. doi: [10.1093/pubmed/fdi047](https://doi.org/10.1093/pubmed/fdi047)
- Afolabi-Brown O, Moore ME, Tapia IE. 2022. Sleep deficiency in adolescents: the school start time debate. *Clin Chest Med.* 43:239–247. doi: [10.1016/j.ccm.2022.02.008](https://doi.org/10.1016/j.ccm.2022.02.008)
- Albqoor MA, Shaheen AM. 2021. Sleep quality, sleep latency, and sleep duration: a national comparative study of university students in Jordan. *Sleep Breath.* 25:1147–1154. doi: [10.1007/s11325-020-02188-w](https://doi.org/10.1007/s11325-020-02188-w)
- Alfonsi V, Palmizio R, Rubino A, Scarpelli S, Gorgoni M, D'Atri A, Pazzaglia M, Ferrara M, Giuliano S, De

- Gennaro L. 2020. The association between school start time and sleep duration, sustained attention, and academic performance. *NSS*. 12:1161–1172. doi: [10.2147/NSS.S273875](https://doi.org/10.2147/NSS.S273875)
- Alsousou J, Jenks T, Bouamra O, Lecky F, Willett K. 2009. Daylight Savings Time (DST) transition: the effect on serious or fatal road traffic collision related injuries. *Inj Extra*. 40:211–212. doi: [10.1016/j.injury.2009.06.241](https://doi.org/10.1016/j.injury.2009.06.241)
- Alves FR, De Souza EA, De França Ferreira LG, De Oliveira Vilar Neto J, De Bruin VMS, De Bruin PFC. 2020. Sleep duration and daytime sleepiness in a large sample of Brazilian high school adolescents. *Sleep Med*. 66:207–215. doi: [10.1016/j.sleep.2019.08.019](https://doi.org/10.1016/j.sleep.2019.08.019)
- Antle MC. 2023. The controversy over daylight saving time: evidence for and against. *Curr Opin Pulm Med*. 29:574–579. doi: [10.1097/MCP.0000000000001003](https://doi.org/10.1097/MCP.0000000000001003)
- Berry KM, Erickson DJ, Berger AT, Wahlstrom K, Iber C, Full KM, Redline S, Widome R. 2021. Association of delaying school start time with sleep–wake behaviors among adolescents. *J Adolesc Health*. 69:831–837. doi: [10.1016/j.jadohealth.2021.04.030](https://doi.org/10.1016/j.jadohealth.2021.04.030)
- Boergers J, Gable CJ, Owens JA. 2014. Later school start time is associated with improved sleep and daytime functioning in adolescents. *J Dev Behav Pediatr*. 35:11–17. doi: [10.1097/DBP.0000000000000018](https://doi.org/10.1097/DBP.0000000000000018)
- Borisenkov MF, Popov SV, Smirnov VV, Dorogina OI, Pecherkina AA, Symaniuk EE. 2022. Later school start time is associated with better academic performance, sleep–wake rhythm characteristics, and eating behavior. *Chronobiol Int*. 39:1444–1453. doi: [10.1080/07420528.2022.2117050](https://doi.org/10.1080/07420528.2022.2117050)
- Borisenkov MF, Tserne TA, Panev AS, Kuznetsova ES, Petrova NB, Timonin VD, Kolomeichuk SN, Vinogradova IA, Kovvazina MS, Khokhlov NA, et al. 2017. Seven-year survey of sleep timing in Russian children and adolescents: chronic 1-h forward transition of social clock is associated with increased social jetlag and winter pattern of mood seasonality. *Biol Rhythm Res*. 48:3–12. doi: [10.1080/09291016.2016.1223778](https://doi.org/10.1080/09291016.2016.1223778)
- Borlase BJ, Gander PH, Gibson RH. 2013. Effects of school start times and technology use on teenagers' sleep: 1999–2008: teen sleep: school timing and technology. *Sleep And Biol Rhythms*. 11:46–54. doi: [10.1111/sbr.12003](https://doi.org/10.1111/sbr.12003)
- Broughton J, Stone M. 1998. A new assessment of the likely effects on road accidents of adopting SDST. TRL REPORT 368 [Internet]. [accessed 2024 Feb 6]. <https://trid.trb.org/View/541596>
- Bruce ES, Lunt L, McDonagh JE. 2017. Sleep in adolescents and young adults. *Clin Med*. 17:424–428. doi: [10.7861/clinmedicine.17-5-424](https://doi.org/10.7861/clinmedicine.17-5-424)
- Bunnings C, Schiele V. 2021. Spring forward, don't fall back: the effect of daylight saving time on road safety. *Rev Econ Stat*. 103:165–176. doi: [10.1162/rest\\_a\\_00873](https://doi.org/10.1162/rest_a_00873)
- Carey RN, Sarma KM. 2017. Impact of daylight saving time on road traffic collision risk: a systematic review. *BMJ Open*. 7:e014319. doi: [10.1136/bmjopen-2016-014319](https://doi.org/10.1136/bmjopen-2016-014319)
- Carskadon MA, Wolfson AR, Acebo C, Tzischinsky O, Seifer R. 1998. Adolescent sleep patterns, circadian timing, and sleepiness at a transition to early school days. *Sleep*. 21:871–881. doi: [10.1093/sleep/21.8.871](https://doi.org/10.1093/sleep/21.8.871)
- Chan CS, Poon CYS, Leung JCY, Lau KNT, Lau EYY. 2018. Delayed school start time is associated with better sleep, daytime functioning, and life satisfaction in residential high-school students ☆. *J Adolescence*. 66:49–54. doi: [10.1016/j.adolescence.2018.05.002](https://doi.org/10.1016/j.adolescence.2018.05.002)
- Chan NY, Zhang J, Mwm Y, Lam SP, Li SX, Kong APS, Li AM, Wing YK. 2017. Impact of a modest delay in school start time in Hong Kong school adolescents. *Sleep Med*. 30:164–170. doi: [10.1016/j.sleep.2016.09.018](https://doi.org/10.1016/j.sleep.2016.09.018)
- Chaput J-P, Dutil C, Featherstone R, Ross R, Giangregorio L, Saunders TJ, Janssen I, Poitras VJ, Kho ME, Ross-White A, et al. 2020. Sleep duration and health in adults: an overview of systematic reviews. *Appl Physiol Nutr Metab*. 45:S218–S231. doi: [10.1139/apnm-2020-0034](https://doi.org/10.1139/apnm-2020-0034)
- Coate D, Markowitz S. 2004. The effects of daylight and daylight saving time on US pedestrian fatalities and motor vehicle occupant fatalities. *Accid Anal Prev*. 36:351–357. doi: [10.1016/S0001-4575\(03\)00015-0](https://doi.org/10.1016/S0001-4575(03)00015-0)
- Colrain IM, Baker FC. 2011. Changes in sleep as a function of adolescent development. *Neuropsychol Rev*. 21:5–21. doi: [10.1007/s11065-010-9155-5](https://doi.org/10.1007/s11065-010-9155-5)
- Coren S. 1996. Daylight savings time and traffic accidents. *N Engl J Med*. 334:924–925. doi: [10.1056/NEJM199604043341416](https://doi.org/10.1056/NEJM199604043341416)
- Cornberg M, Tacke F, Karlsen TH, European Association for the Study of the Liver. 2019. Clinical practice guidelines of the european association for the study of the liver - advancing methodology but preserving practicability. *J Hepatol*. 70:5–7. doi: [10.1016/j.jhep.2018.10.011](https://doi.org/10.1016/j.jhep.2018.10.011)
- Cunningham CX, Nuñez TA, Hentati Y, Sullender B, Breen C, Ganz TR, Kreling SES, Shively KA, Reese E, Miles J, et al. 2022. Permanent daylight saving time would reduce deer–vehicle collisions. *Curr Biol*. 32:4982–4988.e4. doi: [10.1016/j.cub.2022.10.007](https://doi.org/10.1016/j.cub.2022.10.007)
- Curcio G, Ferrara M, De Gennaro L. 2006. Sleep loss, learning capacity and academic performance. *Sleep Med Rev*. 10:323–337. doi: [10.1016/j.smrv.2005.11.001](https://doi.org/10.1016/j.smrv.2005.11.001)
- Danner F, Phillips B. 2008. Adolescent sleep, school start times, and teen motor vehicle crashes. *J Clin Sleep Med*. 4:533–535. doi: [10.5664/jcs.m.27345](https://doi.org/10.5664/jcs.m.27345)
- Das-Friebel A, Gkiouleka A, Grob A, Lemola S. 2020. Effects of a 20 minutes delay in school start time on bed and wake up times, daytime tiredness, behavioral persistence, and positive attitude towards life in adolescents. *Sleep Med*. 66:103–109. doi: [10.1016/j.sleep.2019.07.025](https://doi.org/10.1016/j.sleep.2019.07.025)
- De Araújo LBG, Bianchin S, Pedrazzoli M, Louzada FM, Beijamini F. 2022. Multiple positive outcomes of a later school starting time for adolescents. *Sleep Health*. 8:451–457. doi: [10.1016/j.sleh.2022.04.002](https://doi.org/10.1016/j.sleh.2022.04.002)
- Dunster GP, De La Iglesia L, Ben-Hamo M, Nave C, Fleischer JG, Panda S, De La Iglesia HO. 2018. Sleepmore in Seattle: later school start times are associated with more sleep and better performance in high school students. *Sci Adv*. 4:eaau6200. doi: [10.1126/sciadv.aau6200](https://doi.org/10.1126/sciadv.aau6200)
- Ellis WA, FitzGibbon SI, Barth BJ, Niehaus AC, David GK, Taylor BD, Matsushige H, Melzer A, Bercovitch FB, Carrick F, et al. 2016. Daylight saving time can decrease the frequency of wildlife–vehicle collisions. *Biol Lett*. 12:20160632.
- Estevan I, Tassinio B, Vetter C, Silva A. 2022. Challenged by extremely irregular school schedules, Uruguayan adolescents only set their waking time. *J Adoles*. 94:488–492. doi: [10.1002/jad.12036](https://doi.org/10.1002/jad.12036)
- Evanger LN, Bjorvatn B, Pallesen S, Hysing M, Sivertsen B, Saxvig IW. 2023. Later school start time is associated with longer school day sleep duration and less social jetlag

- among Norwegian high school students: results from a large-scale, cross-sectional study. *J Sleep Res.* 32:e13840. doi: [10.1111/jsr.13840](https://doi.org/10.1111/jsr.13840)
- Ferguson SA, Preusser DF, Lund AK, Zador PL, Ulmer RG. 1995. Daylight saving time and motor vehicle crashes: the reduction in pedestrian and vehicle occupant fatalities. *Am J Public Health.* 85:92–95. doi: [10.2105/AJPH.85.1.92](https://doi.org/10.2105/AJPH.85.1.92)
- Flatley D, Reyner LA, Horne JA. 2004. Sleep-related crashes on sections of different road types in the UK (1995–2001). *Accident Anal Prev.* 38:109–114. doi: [10.1016/j.aap.2003.08.001](https://doi.org/10.1016/j.aap.2003.08.001)
- Fritz J, VoPham T, Wright KP, Vetter C. 2020. A chronobiological evaluation of the acute effects of daylight saving time on traffic accident risk. *Curr Biol.* 30:729–735.e2. doi: [10.1016/j.cub.2019.12.045](https://doi.org/10.1016/j.cub.2019.12.045)
- Fritz J, Wright KP, Vetter C. 2019. 0192 a Re-appraisal of the link between daylight saving time and traffic accidents in the US. *Sleep.* 42:A78–A79. doi: [10.1093/sleep/zsz067.191](https://doi.org/10.1093/sleep/zsz067.191)
- Fuller SC, Bastian KC. 2022. Saved by the bell schedule? The effects of a later school start time on high schoolers in an urban district. *Urban Educ.* 59:1552–1585. doi: [10.1177/00420859211073889](https://doi.org/10.1177/00420859211073889)
- Gariépy G, Janssen I, Sentenac M, Elgar FJ. 2017. School start time and sleep in Canadian adolescents. *J Sleep Res.* 26:195–201. doi: [10.1111/jsr.12475](https://doi.org/10.1111/jsr.12475)
- Gentry J, Evaniuck J, Suriyamongkol T, Mali I. 2022. Living in the wrong time zone: elevated risk of traffic fatalities in eccentric time localities. *Time Soc.* 31:457–479. doi: [10.1177/0961463X221104675](https://doi.org/10.1177/0961463X221104675)
- Gray TR, Jenkins JA. 2019. Congress and the political economy of daylight saving time, 1918–1985. *Soc Sci Q.* 100:1664–1684. doi: [10.1111/ssqu.12656](https://doi.org/10.1111/ssqu.12656)
- Harrison Y. 2013. The impact of daylight saving time on sleep and related behaviours. *Sleep Med Rev.* 17:285–292. doi: [10.1016/j.smrv.2012.10.001](https://doi.org/10.1016/j.smrv.2012.10.001)
- Hicks RA, Lindseth K, Hawkins J. 1983. Daylight saving-time changes increase traffic accidents. *Percept Mot Skills.* 56:64–66. doi: [10.2466/pms.1983.56.1.64](https://doi.org/10.2466/pms.1983.56.1.64)
- Howick J. 2011. OCEBM levels of evidence working Group\*. The Oxford 2011 levels of evidence. Oxford Centre for Evidence-Based Medicine. [Internet]. <https://www.cebm.net/wp-content/uploads/2014/06/CEBM-Levels-of-Evidence-2.1.pdf>
- Huang A, Levinson D. 2010. The effects of daylight saving time on vehicle crashes in Minnesota. *J Saf Res.* 41:513–520. doi: [10.1016/j.jsr.2010.10.006](https://doi.org/10.1016/j.jsr.2010.10.006)
- Huang X, Lin J, Demner-Fushman D. 2006. Evaluation of PICO as a knowledge representation for clinical questions. *AMIA Annu Symp Proc.* 2006:359.
- James J. 2023. Let there be light: daylight saving time and road traffic collisions. *Econ Inq.* 61:523–545. doi: [10.1111/ecin.13130](https://doi.org/10.1111/ecin.13130)
- Kansagra S. 2020. Sleep disorders in adolescents. *Pediatrics.* 145:S204–S209. doi: [10.1542/peds.2019-2056I](https://doi.org/10.1542/peds.2019-2056I)
- Kim T. 2022. The effects of school start time on educational outcomes: evidence from the 9 O'clock attendance policy in South Korea. *BE J Econ Anal Policy.* 22:439–474. doi: [10.1515/bejeap-2020-0194](https://doi.org/10.1515/bejeap-2020-0194)
- Koscec Bjelajac A, Bakotic M, Ross B. 2020. Weekly alternation of morning and afternoon school start times: implications for sleep and daytime functioning of adolescents. *Sleep.* 43:zsa030. doi: [10.1093/sleep/zsaa030](https://doi.org/10.1093/sleep/zsaa030)
- Lahti T, Nysten E, Haukka J, Sulander P, Partonen T. 2010. Daylight saving time transitions and road traffic accidents. *J Environ Public Health.* 2010:657167. doi: [10.1155/2010/657167](https://doi.org/10.1155/2010/657167)
- Lambe M, Cummings P. 2000. The shift to and from daylight savings time and motor vehicle crashes. *Accident Anal Prev.* 32:609–611. doi: [10.1016/S0001-4575\(99\)00088-3](https://doi.org/10.1016/S0001-4575(99)00088-3)
- Lo JC, Lee SM, Lee XK, Sasmita K, Niyn C, Tandi J, Cher WS, Gooley JJ, Chee MWL. 2018. Sustained benefits of delaying school start time on adolescent sleep and well-being [Internet]. *Sleep.* 41. doi: [10.1093/sleep/zsy052](https://doi.org/10.1093/sleep/zsy052).
- Martín-Olalla JM, Mira J. 2023. Sample size bias in the empirical assessment of the acute risks associated with daylight saving time transitions. *Chronobiol Int.* 40:186–191. doi: [10.1080/07420528.2022.2157738](https://doi.org/10.1080/07420528.2022.2157738)
- Meltzer LJ, Plog AE, Wahlstrom KL, Strand MJ. 2022. Biology vs. Ecology: a longitudinal examination of sleep, development, and a change in school start times. *Sleep Med.* 90:176–184. doi: [10.1016/j.sleep.2022.01.003](https://doi.org/10.1016/j.sleep.2022.01.003)
- Meltzer LJ, Saletin JM, Honaker SM, Owens JA, Seixas A, Wahlstrom KL, Wolfson AR, Wong P, Carskadon MA. 2021. COVID-19 instructional approaches (in-person, online, hybrid), school start times, and sleep in over 5,000 U.S. adolescents. *Sleep.* 44:zsab180. doi: [10.1093/sleep/zsab180](https://doi.org/10.1093/sleep/zsab180)
- Meltzer LJ, Wahlstrom KL, Plog AE, Strand MJ. 2021. Changing school start times: impact on sleep in primary and secondary school students. *Sleep.* 44:zsab048. doi: [10.1093/sleep/zsab048](https://doi.org/10.1093/sleep/zsab048)
- Meyerhoff NJ. 1978. The influence of daylight saving time on motor vehicle fatal traffic accidents. *Accident Anal Prev.* 10:207–221. doi: [10.1016/0001-4575\(78\)90012-X](https://doi.org/10.1016/0001-4575(78)90012-X)
- Ming X, Koransky R, Kang V, Buchman S, Sarris CE, Wagner GC. 2011. Sleep insufficiency, sleep health problems and performance in high school students. *Clin Med Insights Circ Respir Pulm Med.* 5:CCRPM.S7955. doi: [10.4137/CCRPM.S7955](https://doi.org/10.4137/CCRPM.S7955)
- Minges KE, Redeker NS. 2016. Delayed school start times and adolescent sleep: a systematic review of the experimental evidence. *Sleep Med Rev.* 28:86–95. doi: [10.1016/j.smrv.2015.06.002](https://doi.org/10.1016/j.smrv.2015.06.002)
- Molina JE, Kitali A, Alluri P. 2023. Relationship between daylight saving time and traffic crashes in Florida. *Transp Res Rec.* 2677:792–802. doi: [10.1177/03611981221108396](https://doi.org/10.1177/03611981221108396)
- Nahmod NG, Lee S, Buxton OM, Chang A-M, Hale L. 2017. High school start times after 8: 30 am are associated with later wake times and longer time in bed among teens in a National Urban Cohort Study. *Sleep Health.* 3:444–450. doi: [10.1016/j.sleh.2017.09.004](https://doi.org/10.1016/j.sleh.2017.09.004)
- Nahmod NG, Lee S, Master L, Chang A-M, Hale L, Buxton OM. 2019. Later high school start times associated with longer actigraphic sleep duration in adolescents. *Sleep* [Internet]. 42. doi: [10.1093/sleep/zsy212](https://doi.org/10.1093/sleep/zsy212)
- Nasa P, Jain R, Juneja D. 2021. Delphi methodology in healthcare research: how to decide its appropriateness. *World J Methodol.* 11:116–129. doi: [10.5662/wjm.v11.i4.116](https://doi.org/10.5662/wjm.v11.i4.116)
- Neuroth LM, Ma M, Brooks-Russell A, Zhu M. 2021. The relationship of school start times, sleep duration and mental health among a representative sample of high school students in Colorado, 2019. *IJERPH.* 18:5708. doi: [10.3390/ijerph18115708](https://doi.org/10.3390/ijerph18115708)
- Nohl A, Seelmann C, Roenick R, Ohmann T, Lefering R, Brune B, Weichert V, Dudda M, The TraumaRegister DGU. 2021. Impact of DST (daylight saving time) on

- major trauma: a European cohort study. *Int J Environ Res Public Health*. 18:13322. doi: [10.3390/ijerph182413322](https://doi.org/10.3390/ijerph182413322)
- Orsini F, Giusti G, Zarantonello L, Costa R, Montagnese S, Rossi R. 2023. Driving fatigue increases after the Spring transition to daylight saving time in young male drivers: a pilot study. *Transp Res Part F*. 99:83–97. doi: [10.1016/j.trf.2023.10.014](https://doi.org/10.1016/j.trf.2023.10.014)
- Orsini F, Zarantonello L, Costa R, Rossi R, Montagnese S. 2022. Driving simulator performance worsens after the Spring transition to daylight saving time. *iScience*. 25:104666. doi: [10.1016/j.isci.2022.104666](https://doi.org/10.1016/j.isci.2022.104666)
- Owens JA, Belon K, Moss P. 2010. Impact of delaying school start time on adolescent sleep, mood, and behavior. *Arch Pediatr Adolesc Med [Internet]*. 164. doi: [10.1001/archpedi.2010.96](https://doi.org/10.1001/archpedi.2010.96)
- Owens JA, Dearth-Wesley T, Herman AN, Oakes JM, Whitaker RC. 2017. A quasi-experimental study of the impact of school start time changes on adolescent sleep. *Sleep Health*. 3:437–443. doi: [10.1016/j.sleh.2017.09.001](https://doi.org/10.1016/j.sleh.2017.09.001)
- Page MJ, McKenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD, Shamseer L, Tetzlaff JM, Akl EA, Brennan SE, et al. 2021. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *BMJ*. 372:n71. doi: [10.1136/bmj.n71](https://doi.org/10.1136/bmj.n71)
- Paksarian D, Rudolph KE, He J-P, Merikangas KR. 2015. School start time and adolescent sleep patterns: results from the US national comorbidity survey—adolescent supplement. *Am J Public Health*. 105:1351–1357. doi: [10.2105/AJPH.2015.302619](https://doi.org/10.2105/AJPH.2015.302619)
- Patte KA, Cole AG, Qian W, Leatherdale ST. 2017. Youth sleep durations and school start times: a cross-sectional analysis of the COMPASS study. *Sleep Health*. 3:432–436. doi: [10.1016/j.sleh.2017.07.011](https://doi.org/10.1016/j.sleh.2017.07.011)
- Patte KA, Qian W, Cole AG, Faulkner G, Chaput J-P, Carson V, Leatherdale ST. 2019. School start time changes in the COMPASS study: associations with youth sleep duration, physical activity, and screen time. *Sleep Med*. 56:16–22. doi: [10.1016/j.sleep.2018.09.020](https://doi.org/10.1016/j.sleep.2018.09.020)
- Peltz JS, Rogge RD, Connolly H, O'Connor TG. 2017. A process-oriented model linking adolescents' sleep hygiene and psychological functioning: the moderating role of school start times. *Sleep Health*. 3:465–471. doi: [10.1016/j.sleh.2017.08.003](https://doi.org/10.1016/j.sleh.2017.08.003)
- Perkinson-Gloor N, Lemola S, Grob A. 2013. Sleep duration, positive attitude toward life, and academic achievement: the role of daytime tiredness, behavioral persistence, and school start times. *J Adoles*. 36:311–318. doi: [10.1016/j.adolescence.2012.11.008](https://doi.org/10.1016/j.adolescence.2012.11.008)
- Prats-Urbe A, Tobías A, Prieto-Alhambra D. 2018. Excess risk of fatal road traffic accidents on the day of daylight saving time change. *Epidemiology*. 29:e44–e45. doi: [10.1097/EDE.0000000000000865](https://doi.org/10.1097/EDE.0000000000000865)
- Rhie S, Chae KY, Oster H. 2018. Effects of school time on sleep duration and sleepiness in adolescents. Oster H, editor. *PLOS ONE*. 13:e0203318. doi: [10.1371/journal.pone.0203318](https://doi.org/10.1371/journal.pone.0203318)
- Robb D, Barnes T. 2018. Accident rates and the impact of daylight saving time transitions. *Accident Anal Prev*. 111:193–201. doi: [10.1016/j.aap.2017.11.029](https://doi.org/10.1016/j.aap.2017.11.029)
- Short MA, Gradisar M, Lack LC, Wright HR, Dewald JF, Wolfson AR, Carskadon MA. 2013. A cross-cultural comparison of sleep duration between U.S. and Australian adolescents: the effect of school start time parent-set bed-times, and extracurricular load. *Health Educ Behav*. 40:323–330. doi: [10.1177/1090198112451266](https://doi.org/10.1177/1090198112451266)
- Singh R, Sood R, Graham DJ. 2022. Road traffic casualties in Great Britain at daylight savings time transitions: a causal regression discontinuity design analysis. *BMJ Open*. 12:e054678. doi: [10.1136/bmjopen-2021-054678](https://doi.org/10.1136/bmjopen-2021-054678)
- Smith AC. 2016. Spring forward at your own risk: daylight saving time and fatal vehicle crashes. *Am Econ J*. 8:65–91. doi: [10.1257/app.20140100](https://doi.org/10.1257/app.20140100)
- Sood N, Ghosh A. 2007. The short and long run effects of daylight saving time on fatal automobile crashes [Internet]. *BE J Econ Anal Policy*. 7. doi: [10.2202/1935-1682.1618](https://doi.org/10.2202/1935-1682.1618)
- Stevens CR, Lord D. 2006. Evaluating safety effects of daylight savings time on fatal and nonfatal injury crashes in Texas. *Transp Res Rec*. 1953:147–155. doi: [10.1177/0361198106195300117](https://doi.org/10.1177/0361198106195300117)
- Sullivan JM, Flannagan MJ. 2007. Determining the potential safety benefit of improved lighting in three pedestrian crash scenarios. *Accid Anal Prev*. 39:638–647. doi: [10.1016/j.aap.2006.10.010](https://doi.org/10.1016/j.aap.2006.10.010)
- Teke C, Kurtoglu ÇG, Yıldırım Ç, Şener A, Tanrıverdi F, Kahraman FA, Gökhan Ş. 2021. Assessment of the number of admissions for road traffic collisions and severity of injury in daylight saving time and permanent daylight saving time periods. *Int J Clin Pract*. 75:e14798. doi: [10.1111/ijcp.14798](https://doi.org/10.1111/ijcp.14798)
- Thacher PV, Onyper SV. 2016. Longitudinal outcomes of start time delay on sleep, behavior, and achievement in high school. *Sleep*. 39:271–281. doi: [10.5665/sleep.5426](https://doi.org/10.5665/sleep.5426)
- UK Time Zone History. [accessed 2024 Aug 9]. <https://www.timeanddate.com/time/uk/time-zone-background.html>
- van den Eijnden RJJM, Geurts SM, Ter Bogt Tfm, van der Rijst VG, Koning IM. 2021. Social media use and adolescents' sleep: a longitudinal study on the protective role of parental rules regarding internet use before sleep. *Int J Environ Res Public Health*. 18:1346. doi: [10.3390/ijerph18031346](https://doi.org/10.3390/ijerph18031346)
- Varughese J, Allen RP. 2001. Fatal accidents following changes in daylight savings time: the American experience. *Sleep Med*. 2:31–36. doi: [10.1016/s1389-9457\(00\)00032-0](https://doi.org/10.1016/s1389-9457(00)00032-0)
- Vedaa Ø, West Saxvig I, Wilhelmsen-Langeland A, Bjorvatn B, Pallesen S. 2012. School start time, sleepiness and functioning in Norwegian adolescents. *Scand J Educ Res*. 56:55–67. doi: [10.1080/00313831.2011.567396](https://doi.org/10.1080/00313831.2011.567396)
- Vincent A. 1998. Effects of daylight savings time on collision rates. *N Engl J Med*. 339:1167–1168. doi: [10.1056/NEJM199810153391617](https://doi.org/10.1056/NEJM199810153391617)
- Wahistrom K. 2002. Changing times: findings from the first longitudinal study of later high school start times. *NASSP Bull*. 86:3–21. doi: [10.1177/019263650208663302](https://doi.org/10.1177/019263650208663302)
- Wahlstrom KL, Plog AE, McNally J, Meltzer LJ. 2023. Impact of changing school start times on teacher sleep health and daytime functioning. *J Sch Health*. 93:128–134. doi: [10.1111/josh.13254](https://doi.org/10.1111/josh.13254)
- Weingart R, Bryan C, Olson D, Gazmararian J, Rosati B, Hale L, Gilder MV. 2021. Adolescent sleep duration and timing during early COVID-19 school closures. *Sleep Health*. 7:543–547. doi: [10.1016/j.sleh.2021.07.003](https://doi.org/10.1016/j.sleh.2021.07.003)
- Whittaker JD. 1996. An investigation into the effects of British summer time on road traffic accident casualties in Cheshire. *J Accid Emerg Med*. 13:189–192. doi: [10.1136/emj.13.3.189](https://doi.org/10.1136/emj.13.3.189)

- Widome R, Berger AT, Iber C, Wahlstrom K, Laska MN, Kilian G, Redline S, Erickson DJ. 2020. Association of delaying school start time with sleep duration, timing, and quality among adolescents. *JAMA Pediatr.* 174:697. doi: [10.1001/jamapediatrics.2020.0344](https://doi.org/10.1001/jamapediatrics.2020.0344)
- Winnebeck EC, Vuori-Brodowski MT, Biller AM, Molenda C, Fischer D, Zerbini G, Roenneberg T. 2020. Later school start times in a flexible system improve teenage sleep. *Sleep.* 43:zsz307. doi: [10.1093/sleep/zsz307](https://doi.org/10.1093/sleep/zsz307)
- Yeo SC, Lai CKY, Tan J, Lim S, Chandramoghan Y, Tan TK, Gooley JJ. 2023. Early morning university classes are associated with impaired sleep and academic performance. *Nat Hum Behav.* 7:502–514. doi: [10.1038/s41562-023-01531-x](https://doi.org/10.1038/s41562-023-01531-x)
- Zhou R, Li Y. 2022. Traffic crash changes following transitions between daylight saving time and standard time in the United States: new evidence for public policy making. *J Saf Res.* 83:119–127. doi: [10.1016/j.jsr.2022.08.009](https://doi.org/10.1016/j.jsr.2022.08.009)