

A systematic review of Automatic Term Extraction: What happened in 2022?

Giorgio Maria Di Nunzio ^{1*}, Stefano Marchesin ¹, Gianmaria Silvello ¹

¹Department of Information Engineering, University of Padova, Via Gradenigo 6a, Padova 35131, Italy

*Correspondence: Giorgio Maria Di Nunzio, Department of Information Engineering, University of Padova, Via Gradenigo 6a, Padova 35131, Italy. E-mail: giorgiomaria.dinunzio@unipd.it

Abstract

Automatic Term Extraction (ATE) systems have been studied for many decades as, among other things, one of the most important tools for tasks such as information retrieval, sentiment analysis, named entity recognition, and others. The interest in this topic has even increased in recent years given the support and improvement of the new neural approaches. In this article, we present a follow-up on the discussions about the pipeline that allows extracting key terms from medical reports, presented at MDTT 2022, and analyze the very last papers about ATE in a systematic review fashion. We analyzed the journal and conference papers published in 2022 (and partially in 2023) about ATE and cluster them into subtopics according to the focus of the papers for a better presentation.

Résumé

Les systèmes d'extraction automatique de termes (EAT) ont été étudiés pendant de nombreuses décennies en tant que, entre autres, l'un des outils les plus importants pour des tâches telles que la recherche de l'information, l'analyse des sentiments, la reconnaissance d'entités nommées, etc. L'intérêt pour ce sujet a même augmenté ces dernières années compte tenu du soutien et de l'amélioration des nouvelles approches neuronales. Dans cet article, nous présentons un suivi des discussions sur la démarche qui permet d'extraire des termes clés des rapports médicaux, présentés à MDTT 2022, et analysons les tout derniers articles sur l'EAT de manière systématique. Nous avons analysé les articles de revues et de conférences publiés en 2022 (et partiellement en 2023) sur l'EAT et les avons regroupés en sous-thèmes en fonction de l'objet des articles pour une meilleure présentation.

1 Introduction

Computational Terminology (CT) is a multidisciplinary research area where computer scientists, information science specialists, linguists and, of course, terminologists design and develop automatic approaches applied to specialized texts (Bourigault *et al.*, 2001; Vezzani, 2022). From a historical point of view, CT can be placed at the beginning of the 1990s with the first international conferences dedicated to this area. Given the computational character that strongly delineates this topic, it is no coincidence that these first initiatives were engineering and artificial intelligence conferences, such as the *Terminology and Knowledge Engineering* (TKE),¹ and the *Conférence Internationale Terminologie et Intelligence Artificielle* (TIA).²

The first volume entirely dedicated to this subject was published in 2001 (Bourigault *et al.*, 2001). This

collection of handpicked articles offers diverse perspectives on CT from researchers in a variety of fields: from automatic text parsing to terminology storage and use, from linguists to applied linguistics specialists, and from information retrieval to artificial intelligence. In that volume, Automatic Term Extraction (ATE) is deeply studied and evaluated as a support to information retrieval problems, or to problems of translation and alignment of multilingual terminological databases. The special issues dedicated to CT (Drouin *et al.*, 2015, 2018), in the same way, collect a selection of articles that offer a panorama of approaches oriented toward the automatic extraction of terms in which we observe the increasingly important presence of hybrid methods using artificial neural networks and a representation of words based on the distributional hypothesis (Mikolov *et al.*, 2013).

Actually, in the mid-1990s, Kageura and Umino (1996) present the first systematic review of approaches to ATE starting from an analysis of automatic term indexing methods from the 1950s (Luhn, 1957), going through one of the most important quantitative methods in the history of information retrieval, the specificity of a term (Sparck Jones, 1972). In addition, the review offers hints for some hypotheses for the definition of the term and term hood (a sort of quantification of how much ‘a term is a term’): (1) a frequently appearing (terminological) unit in a domain is likely to be a term from that domain; (2) a unit that appears only in one domain is likely to be a term from that domain; (3) a unit that appears relatively more frequently in a specific domain than in general is likely to be a term of that domain; and (4) a unit whose occurrence is somehow affected by (a) domain(s) is likely to be a term.

Given the increasing interest in this research area, in this article, we continue the analysis that we started at the 1st Multilingual Digital Terminology Today conference (Di Nunzio *et al.*, 2022a) about the advances in ATE that, in our case, was dedicated to the medical domain (Di Nunzio *et al.*, 2022b).

Our objective is to analyze the most recent literature on ATE by means of a systematic review of the papers published in 2022 (and some at the beginning of 2023). The final goal is to give an overview of the most promising directions of this area of research as a fundamental bridge among different fields as well as a valuable tool for the creation of multilingual terminological databases.

The article is organized as follows: in Section 2, we present the methodology that we followed to select the papers to review; in Section 3, we discuss our analysis of the state-of-the-art by presenting the papers divided into categories that highlight the focus of each contribution. In Section 4, we give our final remarks.

2 Methodology

In order to perform the systematic review, we proceeded with the following methodology: we used the Google Scholar database to retrieve documents with the key phrase ‘automatic term extraction’ or ‘automated term extraction’. Subsequently, we filtered the papers that have been published since 2022 (and including 2023). The result was a list of 176 candidate papers.³ From this list, we manually selected only those papers that were published in international journals or in international conferences where a peer review of the paper was explicitly mentioned in the call for papers of the conference. We intentionally did not include in this survey workshop papers, preprints, or arXiv papers. Then, we removed from this filtered set of papers, those who mentioned ATE only as a secondary topic of

the paper or in the related works (i.e. the key phrase ‘automatic term extraction’ was present in the papers, but the focus of the paper itself was on ATE). After this last filtering step, we obtained a list of twenty-four papers. A last comment about recent works on ATE, at the time of the preparation of this manuscript, we found on arXiv an interesting survey on recent advances on ATE that we feel obliged to mention giving the synchronicity with this manuscript (Tran *et al.*, 2023). Despite the focus of this survey being mostly on neural transformer-based models, we found it very interesting also from the point of view of the analysis of the datasets and metrics used for the evaluation of the performance in ATE. Finally, we decided to organize the presentation of the analysis of the content of the papers according to a qualitative clustering of the papers in the following main topics: ATE tools, decision-making, knowledge modeling, multilinguality, word embeddings, and evaluation. Of course, some papers address more than one of these topics, but we decided to present each paper in only one of these categories to avoid repetitions.

3 Analysis

In this initial part of the analysis, we want to list the different definitions of ATE that we found in the papers to show the slightly different nuances of this field, according to the authors. For example, Nugumanova *et al.* (2022) focus on the pipeline for the ATE: ‘Automatic term extraction, also known as automatic term recognition, is a task aimed at detecting domain terms in a given corpus of documents. Traditionally, methods for solving this problem include three stages: 1) preprocessing and term candidates extracting, 2) term candidates scoring, and 3) term candidate ranking’. On the other hand, Nomoto (2022) underlines the (shared) difficulty of the notion of keywords addressed in different areas: ‘The notion of “keyword” has long defied a precise definition. [...] History witnessed the rise of two major schools of thought, one in terminology science (TS) and the other in information retrieval (IR). [...] Terminologists are generally concerned with finding terms that are specific to a particular technical domain, useful to organize knowledge relating to that domain, while people in information retrieval are focused more on identifying terms (which they call indexing terms) capable of distinguishing among documents to improve document retrieval’. The difficulty of the distinction of a term is also expressed by Terry *et al.* (2022): ‘[...] ATE is usually considered a semi-automatic process that requires human validation, since it is such a difficult task that cannot yet be perfectly automated. One of the main difficulties for ATE lies in the ambiguous

distinction between terms and general language.’ A difficulty that is also related to the task itself: ‘terminology extraction is a complex and difficult task, and requires certain linguistic knowledge and a related field background’ (Zhao *et al.*, 2022). Finally, other authors highlight the opportunities that ATE gives to support other research activities: ‘By easing the time and effort needed to manually extract the terms, ATE is not only widely used for terminographical tasks but also contributes to several complex downstream tasks (e.g., machine translation, [...])’ (Tran *et al.*, 2022b) or ‘The results [of ATE] can either be used directly to facilitate term management for, e.g., terminologists and translators, or as a preprocessing step for other tasks within natural language processing (NLP) [...].’ (Terryn *et al.*, 2022).

In the following sections, we present a summary of the main objective and findings of each paper clustered by subtopics.

3.1 ATE tools

In this section, we review the works that deal with the design, implementation, and evaluation of tools for ATE, which is also the topic of the original paper presented at MDTT 2022 (Di Nunzio *et al.*, 2022a,b). ATE tools can be complex systems that allow users to perform a variety of operations for specific purposes related to the specific field. The case of the medical domain is tackled by Marchesin *et al.* (2022) and Thukral *et al.* (2023). In both cases, the main starting point is the electronic health record and the fact that essential information is contained in clinical narratives which are described in natural language. If clinical narratives were represented in a format understandable by Artificial Intelligence (AI) applications, then a better diagnosis or decision could be obtained.

In this sense, Marchesin *et al.* (2022) propose a tool to overcome the limitation of the necessity to have annotated data by means of unsupervised Natural Language Processing (NLP) techniques to automatically extract critical information from pathology reports and use it for different digital pathology applications, such as automatic report annotation, pathological knowledge visualization. In this regard, they present the Semantic Knowledge Extractor Tool, an unsupervised hybrid knowledge extraction system that combines an expert system with pre-trained Machine Learning (ML) models to extract knowledge from pathology reports. On the other hand, Thukral *et al.* (2023) try to translate clinical narratives effectively while retaining the medicinal vocabulary and semantics by means of a tool for Named Entity Recognition in conjunction with the validation of the medical expert.

Another example in a different domain is the one proposed by Panoutopoulos *et al.* (2022). The authors

focus on the implementation of a custom Named Entity Recognition tool aiming to identify and extract agricultural terms from the text in order to provide data-driven insights for this economic sector.

On the other hand, the contribution provided by Martín-Chozas *et al.* (2022) is dedicated to the implementation of TermitUp, a tool that puts together pieces of language technology previously isolated and improves them to build a pipeline that generates as output a multilingual terminology semantically enriched with data from the Linguistic Linked Open Data—a movement about publishing data for linguistics and natural language processing—and published in open formats.⁴

3.2 Decision making

In this section, we analyze the papers that tackle the issues related to decision-making systems and, in general, the problem of finding, or assessing, the best alternative among different options. Three following papers are all collocated within the same domain: the maritime and naval domain. In this domain, the intelligent self-decision-making of naval operations is of great significance to the research of auxiliary decision-making for naval operations (Andersen, 2022; Zhao *et al.*, 2022). The same importance is given to the recovery and enrichment of maritime heritage, such as documents and archives with drawings of ships and maps (Mourtidis *et al.*, 2022). The fourth paper in this category concerns the identification of cybersecurity material and the consequent decisions to prevent digital threats (Prayogo *et al.*, 2022).

In Zhao *et al.* (2022), the authors present an approach for the extraction of domain terms in the operational planning field and the synonym extraction between terms. In the proposed method, the data to be processed come from operational planning documents. Such documents (and domain) show sentences that have a rather different word segmentation that requires a manual intervention to develop an effective and reusable set of terms.

Andersen (2022) discusses implementation aspects about the development of a terminology in the maritime domain as well as methodological questions like ‘How can we, with limited funding, to a maximal degree utilize existing language resources to develop a terminology at a relatively low cost?’ In this respect, the author analyzes linguistic approaches that consider the fact that terms take certain syntactic forms and tend to follow certain morphosyntactic patterns.

Finally, in Prayogo *et al.* (2022), the authors describe the process of building preventive measures against cybersecurity threats by discovering and understanding new vulnerabilities from cybersecurity-related material that are mainly communicated via textual channels

online. The authors describe an architecture called ‘Attended over Distributed Specificity’ that was introduced for ATE in cybersecurity.

3.3 Knowledge modeling

In this section, we review two papers that deal with the automatic organization of knowledge in a specific domain and organize this knowledge into structures that can be used by humans or machines. In particular, the two works try to infer the semantic similarity among terms by means of functions, TextRank (Zhang *et al.*, 2022) and ETBRrank (Wu *et al.*, 2022), which extract meaningful terms and their relations within the domain.

In Zhang *et al.* (2022), the authors discuss the problem of requirements analysis and, in particular, the terminology of requirements that helps the stakeholders share a common understanding of the key concepts within a specific domain. The authors use the smart home domain as a case study, and they construct an illustrative feature model to demonstrate that the terms extracted by the proposed adaptation of TermRank create an implicit hierarchy structure that can help the organization of the requirements analysis.

In Wu *et al.* (2022), the authors propose an Automatic Biterm Extraction—that is, a word co-occurrence pattern—to discover emerging (and possibly unknown) topics in research papers. This is an interesting case study where the terminology itself is not consolidated and is still in development, while the topics are either unnamed or named differently by several authors. Given two papers, the proposed approach—Emerging Topic BiTerm Rank—uses paper titles to automatically backtrack the origin of the new topics from two co-occurring super topics.

3.4 Multilinguality

The questions related to multilinguality in terminology, which is also one of the main topics of the MDTT conference,⁵ are tackled by four papers from different perspectives: scarce resource languages, accuracy and consistency, the term ‘unithood’ (Kageura and Umino, 1996) between languages.

In Karaman *et al.* (2022), the authors study the problem of using the data of one language (English) to train an ATE model in a different language with limited linguistic resources (Turkish in this case). The results of a joint multilingual neural model trained on Turkish–English abstracts of theses show a significant improvement in the multilingual ATE process.

Jia *et al.* (2022) consider the perspective of domain-specific user-provided bilingual terminologies in the field of e-commerce. The authors propose a new task which is to discover bilingual terminologies from comparable data in the e-commerce field. The task is to

align a sentence in the source language with a sentence in the target language, extract the terms in the two languages, and link them.

In Liwei (2022), the author takes Chinese patent literature as the research object and proposes a method of extracting technical terms that combine grammatical rules and statistical methods. The challenge, in this context, is how to extend the ATE methods—usually studied in English or Romance languages—to the Chinese language. In particular, the author focuses on the difference of an English ‘word’ used as the linguistic unit compared to the Chinese ‘character’ to express a complete meaning.

Barbero (2022) presents a methodology that involves specialized corpora exploration in comparison to common language reference corpora. The authors base their work on the data collected from the compilation and treatment of a bilingual—European Portuguese/Italian—comparable corpus of specialized texts on Public Art. The main issues analyzed in the paper concern a better use of frequency analysis to improve the lists extracted from the specialized corpus (before submitting it to expert validation) and the evaluation of lexical/syntactic patterns to isolate specific semantic relations.

3.5 Word embeddings

A word embedding is a learned representation, usually through neural networks, for text where words that have the same meaning have a similar representation. In this way, researchers can automatically discover and evaluate relationships among terms by measuring the ‘distance’ between these representations. The use of word embeddings in terminology has been confronted in three papers.

Vintar and Martinc (2022) propose an interdisciplinary perspective with the aim of building a new multilingual and multimodal interactive knowledge base tailored to the needs of different types of users in the domain of karstology (a subfield of geomorphology). In particular, they use word embeddings to both identify words expressing a specific semantic relation and extract multiword units which contain the target relation.

In Liu *et al.* (2022), the authors focus on the following problem: given two corpora, a domain corpus DC and general corpus GC, the authors do not want to rank all terms, represented with word embeddings, in the shared vocabulary between DC and GC, such that the top of the ranking is enriched with domain terms when their meaning differs from common usage.

Finally, Li (2022) focuses on the Internet of Things domain and the importance of the correct translation of terms for the exchange of scientific information. The author proposes an interactive approach where the experts analyze the results of a neural network model that produces a cluster of terms that are semantically related.

3.6 Evaluation

In this last section, we want to present those works the aim of which was to evaluate ATE approaches using standard datasets. In particular, we found six papers that used the same dataset, the Annotated Corpora for Term Extraction Research (ACTER) dataset.⁶

The authors of the papers [Tran et al. \(2022a\)](#) and [Tran et al. \(2022b\)](#) compare the multilingual learning to the monolingual learning in the cross-domain sequence-labeling term extraction task ([Gooding and Kochmar, 2019](#)). They examine the cross-lingual effect of rich-resource training language over fewer resources, such as Slovenian. The results demonstrate a promising impact of multilingual and cross-lingual cross-domain transfer learning.

In a similar fashion, [Terryn et al. \(2022\)](#) interpret ATE as a sequential labeling task, where each token in a text is classified as (part of) a term or not. The authors employ this strategy for ATE in a monolingual and multilingual setting and evaluate different models.

[Nugumanova et al. \(2022\)](#) use the ACTER dataset to evaluate the performance of the term extraction approach that uses a different mathematical model. In particular, they use a non-negative matrix factorization approach to represent the documents in the collection. This approach does not require training data and is invariant both to the domain and to the language.

[Hazem et al. \(2022\)](#) perform an extensive study of neural approach named Bidirectional Encoder Representations from Transformers (BERT) for ATE as a sequence-labeling method. They study both the cross-domain and cross-lingual scenarios thanks to transfer learning. The results show that BERT can transfer learning across domains and languages, even when there is limited availability of annotations.

A different perspective is described by [Awwad et al. \(2022\)](#). The main issue is how to build English–Arabic scientific glossaries based on ATE. The authors contextualize this approach within the domain of technology and science—where new concepts and terminologies emerge very quickly—and, in particular, in terms of the urge for technological resources to increase the pace of the translation output at lower costs.

As a final remark, we want to highlight the fact that these state-of-the-art approaches, on this specific ACTER dataset, achieve precision and recall values that range between 35% and 70% at most, with a weighted average (F1 score) between the two that is very rarely greater than 60%. These results show that, at the present time, the ATE approaches are good but not excellent, and that a human-in-the-loop approach is necessary to recover terms that were discarded or remove unwanted terms.

4 Conclusions

In this systematic survey, we have given an overview of the most recent literature on ATE, and we have tried to

focus on the current challenges (and possibly future directions) of this very active research field. Neural models, in particular, pre-trained models and transfer learning have been dominating the scene in the last months. These models are very promising in terms of the impact on scarce resource languages; at the same time, their performance—in terms of the proportion of terms correctly recognized—shows that the intervention of the expert in the field is still the key point in producing high-quality multilingual terminology. At the same time, multilinguality has been gaining a lot of attention, especially in terms of the reuse of ATE models that are trained in one language or specific domains in other languages and domains.

In the future, we believe that a major aspect would be that of building a collaborative task for the creation of annotated datasets for both the training and evaluation of models as well as a shared repository of the terminological database.

Authors' Contributions

Giorgio Maria Di Nunzio (Methodology, Writing—original draft, Writing—review and editing, Stefano Marchesin (Writing—original draft), and Gianmaria Silvello (Writing—original draft).

Acknowledgements

This work has been carried out within the framework of the Centro Studi in Terminologia Computazionale (CENTRICO) of the University of Padova.

Notes

1. <https://dblp.org/db/conf/tke/index.html>
2. https://www.irit.fr/TIA09/commencer_ici.htm
3. The last search was done on 31 January 2023.
4. <https://linguistic-lod.org>
5. <http://mdtt2023.dei.unipd.it/en/>
6. <https://github.com/AylaRT/ACTER>

Funding

This paper was published as part of the supplement ‘Multilingual Digital Terminology’ published with the contribution of the Department of Linguistic and Literary Studies of the University of Padua.

References

- [Andersen, G. \(2022\)](#). Utilising heterogeneous language resources for term extraction in maritime domains. *Terminology*, 28(1): 1–36.
- [Awwad, H., Sawalha, M., Allawzi, A., and Yagi, S. \(2022\)](#). Building translator-oriented English–Arabic physics glossary from domain corpus. *International Journal of Speech Technology*, 26:151–62.

- Barbero, C. (2022). CQL grammars for lexical and semantic information extraction for Portuguese and Italian. In Pinheiro, V., Gamallo, P., Amaro, R., Scarton, C., Batista, F., Silva, D., Magro, C., and Pinto, H. (eds), *Computational Processing of the Portuguese Language*. Berlin, Germany: Springer International Publishing, pp. 376–86.
- Bourigault, D., Jacquemin, C., and Homme, M. C. (2001). *Recent Advances in Computational Terminology*. Amsterdam, Netherlands: John Benjamins.
- Di Nunzio, G. M., Henrot, G. M., Musacchio, M. T., and Vezzani, F. (eds) (2022a). In *Proceedings of the 1st International Conference on Multilingual Digital Terminology Today*, Padova, Italy, 16–17 June 2022, Vol. 3161. CEUR.
- Di Nunzio, G. M., Marchesin, S., and Silvello, G. (2022b). Terminology extraction in electronic health records. The ExaMode Project (poster). In Di Nunzio, G. M. D., Henrot, G. M., Musacchio, M. T., and Vezzani, F. (eds), *Proceedings of the 1st International Conference on Multilingual Digital Terminology Today*, Padova, Italy 16–17 June 2022, Vol. 3161. CEUR.
- Drouin, P., Grabar, N., Hamon, T., and Kageura, K. (2015). Introduction to the Special Issue: Terminology across languages and domains. *Terminology*, 21(2): 139–50.
- Drouin, P., Grabar, N., Hamon, T., Kageura, K., and Takeuchi, K. (2018). Computational terminology and filtering of terminological information: Introduction to the special issue: *Terminology*, 24(1): 1–6.
- Gooding, S., and Kochmar, E. (2019). Complex word identification as a sequence labelling task. In *Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics*, Florence, Italy, 28 Jul–2 Aug 2019, pp. 1148–53.
- Hazem, A., Bouhandi, M., Boudin, F., and Daille, B. (2022). Cross-lingual and cross-domain transfer learning for automatic term extraction from low resource data. In *Proceedings of the Thirteenth Language Resources and Evaluation Conference*, Marseille, France, 20–25 June 2022, pp. 648–662.
- Jia, H., Gu, S., Zhang, Y., and Duan, X. (2022). Bilingual terminology extraction from comparable e-commerce corpora. In *2022 International Joint Conference on Neural Networks (IJCNN)*, Padova, Italy, 18–23 July 2022, pp. 01–08.
- Kageura, K. and Umino, B. (1996). Methods of automatic term recognition: a review. *Terminology*, 3(2): 259–89.
- Karaman, I. N., Cicekli, I., and Ercan, G. (2022). Automatic term extraction with joint multilingual learning. In *2022 7th International Conference on Computer Science and Engineering (UBMK)*, Diyarbakir, Turkey, 14–16 September 2022, pp. 159–64.
- Li, Y. (2022). Construction of internet of things English terms model and analysis of language features via deep learning. *The Journal of Supercomputing*, 78(5): 6296–317.
- Liu, Y., Medlar, A., and Glowacka, D. (2022). Lexical ambiguity detection in professional discourse. *Information Processing & Management*, 59(5): 103000.
- Liwei, Z. (2022). Chinese technical terminology extraction based on DC-value and information entropy. *Scientific Reports*, 12(1): 1.
- Luhn, H. P. (1957). A statistical approach to mechanized encoding and searching of literary information. *IBM Journal of Research and Development*, 1(4): 309–17.
- Marchesin, S., Giachelle, F., Marini, N., et al. (2022). Empowering digital pathology applications through explainable knowledge extraction tools. *Journal of Pathology Informatics*, 13: 100139.
- Martín-Chozas, P., Vázquez-Flores, K., Calleja, P., Montiel-Ponsoda, E., and Rodríguez-Doncel, V. (2022). TermitUp: generation and enrichment of linked terminologies. *Semantic Web*, 13(6): 967–86.
- Mikolov, T., Chen, K., Corrado, G., and Dean, J. (2013). Efficient estimation of word representations in vector space. In Bengio, Y., and LeCun, Y. (eds), In *1st International Conference on Learning Representations, ICLR 2013*, Scottsdale, AZ, 2–4 May 2013, *Workshop Track Proceedings*.
- Mouratidis, D., Mathe, E., Voutos, Y., et al. (2022). Domain-specific term extraction: a case study on Greek Maritime legal texts. In *Proceedings of the 12th Hellenic Conference on Artificial Intelligence*, Corfu, Greece, 9 September 2022, pp. 1–6.
- Nomoto, T. (2022). Keyword extraction: a modern perspective. *SN Computer Science*, 4(1): 92.
- Nugumanova, A., Akhmed-Zaki, D., Mansurova, M., Baiburin, Y., and Maulit, A. (2022). NMF-based approach to automatic term extraction. *Expert Systems with Applications*, 199: 117179.
- Panoutsopoulos, H., Brewster, C., and Espejo-Garcia, B. (2022). Developing a model for the automated identification and extraction of agricultural terms from unstructured text. *Chemistry Proceedings*, 10: 1.
- Prayogo, N., Amjadian, E., McDonnell, S., and Abid, M. R. (2022). Context-aware attended-over distributed specificity for information extraction in cybersecurity. In *2022 IEEE 13th Annual Information Technology, Electronics and Mobile Communication Conference (IEMCON)*, Vancouver, BC, Canada, 12–15 October 2022, pp. 0359–0367.
- Sparck Jones, K. (1972). A statistical interpretation of term specificity and its application in retrieval. *Journal of Documentation*, 28(1): 11–21.
- Terry, A. R., Hoste, V., and Lefever, E. (2022). Tagging terms in text: a supervised sequential labeling approach to automatic term extraction. *Terminology*, 28(1): 157–89.
- Thukral, A., Dhiman, S., Meher, R., and Bedi, P. (2023). Knowledge graph enrichment from clinical narratives using NLP, NER, and biomedical ontologies for healthcare applications. *International Journal of Information Technology*, 15(1): 53–65.
- Tran, H. T. H., Martinc, M., Caporusso, J., Doucet, A., and Pollak, S. (2023). *The Recent Advances in Automatic Term Extraction: A survey* (arXiv:2301.06767). arXiv.
- Tran, H. T. H., Martinc, M., Doucet, A., and Pollak, S. (2022a). Can cross-domain term extraction benefit from cross-lingual transfer? In Pascalm P., and Ienco, D. (eds), *Discovery Science*. Cham, Switzerland: Springer Nature Switzerland, pp. 363–378.
- Tran, H. T. H., Martinc, M., Pelicon, A., Doucet, A., and Pollak, S. (2022b). Ensembling transformers for cross-domain automatic term extraction. In Tseng, Y. H., Katsurai, M., and Nguyen, H. N. (eds), *From Born-Physical to Born-Virtual: Augmenting Intelligence in Digital Libraries*. Berlin, Germany: Springer International Publishing, pp. 90–100.
- Vezzani, F. (ed) (2022). *Terminologie Numérique: Conception, Représentation et Gestion*. Bern, Switzerland: Peter Lang International Academic Publishers.

- Vintar, Š. and Martinc, M. (2022). Framing karstology: from definitions to knowledge structures and automatic frame population. *Terminology*, 28(1): 129–56.
- Wu, J., Huang, G., and Zarei, R. (2022). ETBTRank: ranking biterns in paper titles for emerging topic discovery. In Long, G., Yu, X., and Wang, S. (eds), *AI 2021: Advances in Artificial Intelligence*. Berlin, Germany: Springer International Publishing, pp. 775–84.
- Zhang, J., Chen, S., Hua, J., Niu, N., and Liu, C. (2022). Automatic terminology extraction and ranking for feature modeling. In *2022 IEEE 30th International Requirements Engineering Conference (RE)*, Melbourne, Australia, 15–20 August 2022, pp. 51–63.
- Zhao, X., Wang, C., Cui, P., and Sun, G. (2022). Operational rule extraction and construction based on task scenario analysis. *Information*, 13(3): 3.