

# SEMINAR DAY 2021

The annual update of advances promoted at Institute on Membrane Technology, National Research Council

**Book of Abstracts** 

# **EDITORIAL BOARD**

Alberto FIGOLI Romeo DE LUCA Elisa AVRUSCIO Mirko FRAPPA Matteo MANISCO Serena REGINA Francesca RUSSO

**DOI: 10.48263/ITM SEMINAR DAY 2021** 

#### DIALKYL CARBONATES AS GREEN SOLVENTS FOR MEMBRANES

G. Trapasso <sup>1\*</sup>, C. Salaris <sup>2</sup>, E. Logunova <sup>3</sup>, C. Salata <sup>2</sup>, K. Kummerer <sup>3</sup>, F. Galiano <sup>4</sup>, F. Russo <sup>4</sup>,

A. Figoli <sup>4</sup>, F. Aricò <sup>1</sup>

Department of Environmental Sciences, Informatics and Statistics, Ca' Foscari University, Scientific Campus Via
Torino 155, 30170 Venezia Mestre, Italy.

<sup>2</sup> Department of Molecular Medicine; Padua University, via Gabelli 63, 35121 Padova (IT).

<sup>3</sup> Institute for Sustainable and Environmental Chemistry, Leuphana University Lüneburg, Universitätsallee
1/C13.311b, 21335 Lüneburg, Germany.

<sup>4</sup> Institute on Membrane Technology, ITM-CNR, Via P. Bucci 17c, Rende (CS), 87036, Italy. \*Corresponding author: giacomo.trapasso@unive.it

#### **Abstract**

Dialkyl carbonates (DACs) are well-known green solvents and reagents that are extensively investigated as safe alternatives to chlorine reagents. In fact, they can replace alkyl halides and dimethyl sulfate in alkylation and carbonylation reactions as well as phosgene and its derivatives in the alkoxycarbonylation ones [1,2]. In this talk, I will be presenting our latest results in the high yielding scale-up synthesis of non-commercially available or expensive DACs via transcarbonylation reactions of an alcohol with DMC promoted by the nitrogen-based organocatalyst, 1,5,7triazabicyclo[4.4.0]dec-5-ene (TBD). Compared to previously published works [3,4], the proposed procedure has been customized for DACs large scale production (up to 100 mL of product obtained). Purification of these compounds has been achieved by fractional distillation and the exceeding reagents have been recovered and recycled. The selected DACs for this study include both symmetrical and unsymmetrical compounds, incorporating several alkyl, alkoxyalkyl, alkylamino and alkylthio functional groups. Chemical-physical properties of the new DACs have been also evaluated, as well as their water solubility. Furthermore, biodegradability and cytotoxicity tests have been carried out to investigate the effects of the different substituents on the greenness of these potential solvents and reagents. Finally, both commercially available cyclic carbonates (namely ethylene carbonate - EC and propylene carbonate - PC) and selected samples of the newly synthetized DACs, have been investigated as green solvents for membrane preparation, using nonsolvent induced phase separation (NIPS) and vapor induced inverse phase separation (VIPS) techniques, achieving both porous and plain membranes. Physical-chemical, morphology, mechanical proprieties and the performance in terms of water permeability and rejection of these new membranes have been also evaluated.




Figure 1. Dialkyl carbonates (DACs) as green solvents for membrane preparation: synthesis, cytotoxicity and biodegradability.

## References

- [1] P. Tundo, M. Selva, The chemistry of dimethyl carbonate, Acc. Chem. Res., 35 706 (2002).
- [2] P. Tundo, M. Musolino, F. Aricò, The reactions of dimethyl carbonate and its derivatives, Green Chem., 20 28-85 (2018).
- [3] D. Chevella, A. K. Macharla, R. Banothu, K. S. Gajula, V. Amrutham, M. Boosa, N. Nama, Synthesis of non-symmetrical alkyl carbonates from alcohols and DMC over the nanocrystalline ZSM-5 zeolite, Green Chem., 21 2938–2945 (2019).
- [4] H. Mutlu, J. Ruiz, S. C. Solleder and M. A. R. Meier, TBD catalysis with dimethyl carbonate: a fruitful and sustainable alliance, Green Chem., 14 1728-1735 (2012).

### Acknowledgements

We want to acknowledge Istituto nazionale della previdenza sociale (INPS) for funding the PhD fellowship of Giacomo Trapasso.